

**BELLINZONI S.R.L.**

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 1/22

Replaced revision:1 (Printed on: 09/09/2022)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P020LXWD - P020LXWD10L - P020LXWD50L
Product name: B-LEM3 EXXTRA WD
UFI: 3EW0-G0MJ-300X-MT71

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Concentrated neutral detergent for ordinary cleaning of parquet, laminate and LVT surfaces

| Identified Uses | Industrial | Professional | Consumer |
|--|------------|--|------------------------------------|
| Detergent for floors and washable surfaces | - | ERC: 8a, 8d. PROC: 10, 8a. PC: 35. LCS: PW. | ERC: 8a, 8d. PC: 35. LCS: C. |

1.3. Details of the supplier of the safety data sheet

Name: BELLINZONI S.R.L.
Full address: Via Mezzano 64
District and Country: 28069 Trecate (NO)
Italia
Tel. +39 0321 770558

e-mail address of the competent person

responsible for the Safety Data Sheet: laboratorio@bellinzoni.com
Supplier: BELLINZONI S.r.l.

1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA – Roma - Piazza Sant'Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia – Foggia - V.le Luigi Pinto, 1 – CAP: 71122 – Telefono: 800183459 – Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" – Napoli - Via A. Cardarelli, 9 – CAP: 80131081- Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" - Roma - V.le del Policlinico, 155 – CAP: 161 – Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" - Roma - Largo Agostino Gemelli, 8 – CAP: 168 – Telefono: 06-3054343 – Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica – Firenze - Largo Brambilla, 3 – CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica - Pavia – Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda – Milano - Piazza Ospedale Maggiore, 3 – CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII – Bergamo - Piazza OMS, 1 – CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona – Verona - Piazzale Aristide Stefani, 1 – CAP: 37126 – Telefono 800011858

B-LEM3 EXXTRA WD**SECTION 2. Hazards identification****2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

| | | |
|---------------------------------|------|--------------------------------------|
| Eye irritation, category 2 | H319 | Causes serious eye irritation. |
| Skin sensitization, category 1A | H317 | May cause an allergic skin reaction. |

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

| | |
|---------------|---|
| H319 | Causes serious eye irritation. |
| H317 | May cause an allergic skin reaction. |
| EUH210 | Safety data sheet available on request. |

Precautionary statements:

| | |
|-----------------------|--|
| P102 | Keep out of reach of children. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P302+P352 | IF ON SKIN: wash with plenty of water |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice / attention. |
| P337+P313 | If eye irritation persists: Get medical advice / attention. |
| P501 | Dispose of the product / container in accordance with local / regional / national / international regulations. |

Contains: 2-METHYL-2H-ISOTHIAZOL-3-ONE

Ingredients according to Regulation (EC) No. 648/2004

| | |
|------------------------------|---------------------------|
| Less than 5% | Anionic surfactants, Soap |
| 5% or over but less than 15% | Non-ionic surfactants |

dye

Perfumes

Preservation agents: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

B-LEM3 EXXTRA WD**SECTION 3. Composition/information on ingredients****3.1. Substances**

Information not relevant

3.2. Mixtures

Contains:

| Identification | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|--|------------------------|---|
| OXIRANE, 2-METHYL, POLYMER WITH OXIRANE, MONO (2-PROPILEPTYL) ETHER | | |
| INDEX - | $4 \leq x < 5$ | Eye Irrit. 2 H319 |
| EC 944-523-0 | | |
| CAS - | | |
| HEXANE-1-OL, ETHOXYLATED | | |
| INDEX | $2 \leq x < 3$ | Acute Tox. 4 H302, Eye Dam. 1 H318 |
| EC - | | LD50 Oral: >300 mg/kg |
| CAS 31726-34-8 | | |
| SODIUM P-CUMENESULPHONATE | | |
| INDEX | $2 \leq x < 3$ | Eye Irrit. 2 H319 |
| EC - | | |
| CAS 15763-76-5 | | |
| REACH Reg. 01-2119489411-37-0004 | | |
| DIPROPYLENE GLYCOL MONOMETHYL ETHER | | |
| INDEX - | $0,85 \leq x < 1$ | Substance with a community workplace exposure limit. |
| EC 252-104-2 | | |
| CAS 34590-94-8 | | |
| REACH Reg. 01-2119450011-60 | | |
| 2-METHYL-2H-ISOTHIAZOL-3-ONE | | |
| INDEX - | $0,0015 \leq x < 0,06$ | Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1, EUH071 |
| EC 220-239-6 | | Skin Sens. 1A H317: $\geq 0,0015\%$ |
| CAS 2682-20-4 | | LD50 Oral: 183 mg/kg, LD50 Dermal: 218 mg/kg, LC50 Inhalation mists/powders: 0,11 mg/l/4h |
| REACH Reg. 01-2120764690-50 | | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 4/22

Replaced revision:1 (Printed on: 09/09/2022)

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**BELLINZONI S.R.L.**

Revision nr. 2

Dated 07/06/2023

Printed on 07/06/2023

Page n. 5/22

Replaced revision:1 (Printed on: 09/09/2022)

B-LEM3 EXXTRA WD

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

| | | |
|-----|-----------------|--|
| BGR | България | НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.) |
| CZE | Česká Republika | Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů |
| DEU | Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| ESP | España | Límites de exposición profesional para agentes químicos en España 2021 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS |
| GRC | Ελλάδα | Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία``» |
| HUN | Magyarország | Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről |
| ITA | Italia | Decreto Legislativo 9 Aprile 2008, n.81 |
| LTU | Lietuva | Jsakymas dėl lietuvos higienos normos hn 23:2011 „cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai“ patvirtinimo |
| NOR | Norge | Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. |

**BELLINZONI S.R.L.**

Revision nr. 2

Dated 07/06/2023

Printed on 07/06/2023

Page n. 6/22

Replaced revision:1 (Printed on: 09/09/2022)

B-LEM3 EXXTRA WD

| | | |
|-----|----------------|--|
| NLD | Nederland | august 2018 nr. 1255 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit |
| PRT | Portugal | Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos |
| POL | Polska | Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy |
| ROU | România | Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006 |
| SWE | Sverige | Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) |
| SVK | Slovensko | NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov |
| SVN | Slovenija | Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | RCP TLV | ACGIH TLVs and BEIs – Appendix H |

SODIUM P-CUMENESULPHONATE

Predicted no-effect concentration - PNEC

| | | |
|--|-----|------|
| Normal value in fresh water | 23 | mg/l |
| Normal value for water, intermittent release | 23 | mg/l |
| Normal value of STP microorganisms | 100 | mg/l |

Health - Derived no-effect level - DNEL / DMEL

| Route of exposure | Effects on consumers | | | Effects on workers | | | | |
|-------------------|----------------------|----------------|---------------|--------------------|-------------|----------------|---------------|------------------|
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Oral | | | | | | | | 3.8 mg/kg bw/d |
| Inhalation | | | | 13.2 mg/m3 | | | | 53.6 mg/m3 |
| Skin | | | | 3.8 mg/kg bw/d | | | | 7.6 mg/kg bw/d |

DIPROPYLENE GLYCOL MONOMETHYL ETHER**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|------|---------|--------|-------|------------|------|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| TLV | BGR | 308 | 50 | | | SKIN |
| TLV | CZE | 270 | 47,34 | 550 | 89,1 | SKIN |
| AGW | DEU | 310 | 50 | 310 | 50 | |
| MAK | DEU | 310 | 50 | 310 | 50 | |
| VLA | ESP | 308 | 50 | | | SKIN |
| VLEP | FRA | 308 | 50 | | | SKIN |
| TLV | GRC | 600 | 10 | 900 | 150 | |
| AK | HUN | 308 | | | | |
| VLEP | ITA | 308 | 50 | | | SKIN |
| TLV | NOR | 300 | 50 | | | SKIN |
| TGG | NLD | 300 | | | | |



B-LEM3 EXXTRA WD

| | | | | | | |
|-----------|-----|-----|----|---------|--------|------|
| VLE | PRT | 308 | 50 | | | SKIN |
| NDS/NDSCh | POL | 240 | | 480 | | SKIN |
| TLV | ROU | 308 | 50 | | | SKIN |
| NGV/KGV | SWE | 300 | 50 | 450 (C) | 75 (C) | SKIN |
| NPEL | SVK | 908 | 50 | | | SKIN |
| MV | SVN | 308 | 50 | | | SKIN |
| WEL | GBR | 308 | 50 | | | SKIN |
| OEL | EU | 308 | 50 | | | SKIN |

| | | | | | | |
|--|--|--|--|------|--|-------|
| Predicted no-effect concentration - PNEC | | | | | | |
| Normal value in fresh water | | | | 19 | | mg/l |
| Normal value in marine water | | | | 1,9 | | mg/l |
| Normal value for fresh water sediment | | | | 70,2 | | mg/kg |
| Normal value for marine water sediment | | | | 7,02 | | mg/kg |
| Normal value for the terrestrial compartment | | | | 274 | | mg/kg |

| Health - Derived no-effect level - DNEL / DMEL | | | | | | | | |
|--|----------------------|----------------|---------------|--------------------|-------------|----------------|---------------|------------------|
| Route of exposure | Effects on consumers | | | Effects on workers | | | | |
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Inhalation | | | | 3.2 mg/m3 | | | | 310 mg/m3 |
| Skin | | | | 15 mg/kg bw/d | | | | 65 mg/kg bw/d |

1,2-BENZISOTHIAZOL-3(2H)-ONE

| | | | | | | |
|--|--|--|--|------|--|---------------|
| Predicted no-effect concentration - PNEC | | | | | | |
| Normal value in fresh water | | | | 4,03 | | µg/l |
| Normal value in marine water | | | | 403 | | ng/l |
| Normal value for fresh water sediment | | | | 49,9 | | µg/l |
| Normal value for marine water sediment | | | | 4,99 | | µg/kg |
| Normal value for water, intermittent release | | | | 1,1 | | µg/l |
| Normal value of STP microorganisms | | | | 1,03 | | mg/l |
| Normal value for the terrestrial compartment | | | | 3 | | mg/kg soil dw |

| Health - Derived no-effect level - DNEL / DMEL | | | | | | | | |
|--|----------------------|----------------|---------------|--------------------|-------------|----------------|---------------|------------------|
| Route of exposure | Effects on consumers | | | Effects on workers | | | | |
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Inhalation | | | | 1.2 mg/m3 | | 6.81 | | 6.81 mg/m3 |
| Skin | | | | 345 µg/kg bw/d | | | | 966 µg/kg bw/d |

2-METHYL-2H-ISOTHIAZOL-3-ONE

| | | | | | | |
|--|--|--|--|------|--|---------------|
| Predicted no-effect concentration - PNEC | | | | | | |
| Normal value in fresh water | | | | 3,39 | | µg/l |
| Normal value in marine water | | | | 3,39 | | µg/l |
| Normal value for water, intermittent release | | | | 3,39 | | µg/l |
| Normal value of STP microorganisms | | | | 230 | | µg/l |
| Normal value for the terrestrial compartment | | | | 47,1 | | µg/kg soil dw |



B-LEM3 EXXTRA WD

Health - Derived no-effect level - DNEL / DMEL

| Route of exposure | Effects on consumers | | | Effects on workers | | | |
|-------------------|----------------------|----------------|---------------|--------------------|-------------|---------------|------------------|
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Chronic local | Chronic systemic |
| Inhalation | 21 µg/m³ | | 43 µg/m³ | | 43 µg/m³ | | 21 µg/m³ |
| Skin | | 53 mg/kg bw/d | | 27 mg/kg bw/d | | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ;
MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

B-LEM3 EXXTRA WD**SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

| Properties | Value | Information |
|--|-------------------------------|---|
| Appearance | liquid | Method:visual |
| Colour | orange | |
| Odour | sandalwood | Method:own |
| Melting point / freezing point | -5 °C | Method:own |
| Initial boiling point | > 100 °C | Method:own |
| Flammability | not flammable | |
| Lower explosive limit | not available | Reason for missing data:it does not contain substances classified as explosive |
| Upper explosive limit | not available | Reason for missing data:it does not contain substances classified as explosive |
| Flash point | > 60 °C | |
| Auto-ignition temperature | > 200 °C | Substance:OXIRANE, 2-METHYL, POLYMER WITH OXIRANE, MONO (2-PROPILEPTYL) ETHER |
| Decomposition temperature | >300 °C | Substance:OXIRANE, 2-METHYL, POLYMER WITH OXIRANE, MONO (2-PROPILEPTYL) ETHER |
| pH | 7,00 ± 0,50 | Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67 |
| Kinematic viscosity | 3,0 mm ² /s | Method:Calculation |
| Dynamic viscosity | 3,0 cP | Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C) |
| Solubility | soluble in water in any ratio | Method:own |
| Partition coefficient: n-octanol/water | not available | Reason for missing data:The product is a blend |
| Vapour pressure | 17,28 mmHg | Method:calculation |
| Density and/or relative density | 1,00 - 1,05 g/cm ³ | Method:Instrument: METTLER TOLEDO DENSITOPRO |
| Relative vapour density | not available | |
| Particle characteristics | not applicable | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,96 % - 9,70 g/litre

VOC (volatile carbon) 0,63 % - 6,33 g/litre

Explosive properties not explosive

Oxidising properties not oxidizing

Remark:it does not contain substances classified as explosive

Remark:it does not contain substances classified as oxidizing

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 10/22

Replaced revision:1 (Printed on: 09/09/2022)

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid contact with: oxidizing agents

10.5. Incompatible materials

Avoid contact with: oxidants, reducing agents, strong acids, strong bases

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

| | |
|----------------------------------|---|
| ATE (Inhalation) of the mixture: | Not classified (no significant component) |
| ATE (Oral) of the mixture: | >2000 mg/kg |
| ATE (Dermal) of the mixture: | Not classified (no significant component) |

OXIRANE, 2-METHYL, POLYMER WITH OXIRANE, MONO (2-PROPILEPTYL) ETHER

| | |
|--------------|------------------|
| LD50 (Oral): | > 2000 mg/kg rat |
|--------------|------------------|

HEXANE-1-OL, ETHOXYLATED

| | |
|----------------|---|
| LD50 (Dermal): | > 2000 mg/kg ratto (OECD - linea guida 402) |
| LD50 (Oral): | > 300 mg/kg ratto (OECD-Linea guida 423) |



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 11/22

Replaced revision:1 (Printed on: 09/09/2022)

SODIUM P-CUMENESULPHONATE

LD50 (Dermal): > 2000 mg/kg coniglio
LD50 (Oral): > 7000 mg/kg ratto
LC50 (Inhalation vapours): > 641 mg/l/4h ratto

DIPROPYLENE GLYCOL MONOMETHYL ETHER

LD50 (Dermal): > 19020 mg/kg coniglio
LD50 (Oral): > 5000 mg/kg ratto
LC50 (Inhalation vapours): > 275 ppm/7h ratto

2-METHYL-2H-ISOTHIAZOL-3-ONE

LD50 (Dermal): 218 mg/kg Rabbit male. Method: calculation
LD50 (Oral): 183 mg/kg Rat, female
LC50 (Inhalation mists/powders): 0,11 mg/l/4h Rat male, female. Method: OECD Test Guideline 403

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

B-LEM3 EXXTRA WD**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity**OXIRANE, 2-METHYL, POLYMER WITH
OXIRANE, MONO (2-PROPILEPTYL)
ETHER**

| | |
|-----------------------------------|--|
| LC50 - for Fish | > 10 mg/l/96h Pesci (OECD 203; ISO 7346; 92/69/CEE, C.1) |
| EC50 - for Crustacea | > 10 mg/l/48h dafnie (OECD - linea guida 202, parte 1) |
| EC50 - for Algae / Aquatic Plants | > 10 mg/l/72h alghe (OECD - linea guida 201) |
| EC10 for Algae / Aquatic Plants | > 1 mg/l/72h (OECD - linea guida 201) |
| Chronic NOEC for Fish | > 1 mg/l Pesci (Linea Guida OECD 215) |
| Chronic NOEC for Crustacea | > 1 mg/l Daphnia magna (OECD - linea guida 211) |

SODIUM P-CUMENESULPHONATE

| | |
|---|---|
| LC50 - for Fish | 1000 mg/l/96h Oncorhynchus mykiss (EPA OTS 797.1400) |
| EC50 - for Crustacea | 1000 mg/l/48h Daphnia Magna (EPA OTS 797.1300) |
| EC50 - for Algae / Aquatic Plants | > 230 mg/l/96h Selenastrum capricornutum (EPA OTS 797.1050) |
| Chronic NOEC for Algae / Aquatic Plants | 31 mg/l/96h Selenastrum capricornutum (EPA OTS 797.1050) |

2-METHYL-2H-ISOTHIAZOL-3-ONE

| | |
|---|--|
| LC50 - for Fish | > 150 mg/l/96h Danio rerio |
| EC50 - for Crustacea | 0,87 µg/l/48h Daphnia magna |
| EC50 - for Algae / Aquatic Plants | 0,157 mg/l/72h Pseudokirchneriella subcapitata |
| Chronic NOEC for Algae / Aquatic Plants | 0,0104 mg/l Pseudokirchneriella subcapitata |

HEXANE-1-OL, ETHOXYLATED

| | |
|-----------------------------------|--|
| LC50 - for Fish | > 100 mg/l/96h Brachydanio rerio (OECD 203; ISO 7346; 84/449/CEE, C.1) |
| EC50 - for Crustacea | > 100 mg/l/48h Daphnia magna (OECD - linea guida 202, parte 1) |
| EC50 - for Algae / Aquatic Plants | > 100 mg/l/72h Scenedesmus subspicatus (Direttiva 92/69/CEE, C.3) |
| EC10 for Algae / Aquatic Plants | > 100 mg/l/72h Scenedesmus subspicatus (Direttiva 92/69/CEE, C.3) |

**DIPROPYLENE GLYCOL MONOMETHYL
ETHER**

| | |
|-----------------------------------|--|
| LC50 - for Fish | > 1000 mg/l/96h poecilia reticulata |
| EC50 - for Crustacea | 1919 mg/l/48h daphnia magna |
| EC50 - for Algae / Aquatic Plants | > 969 mg/l/72h Selenastrum capricornutum |

B-LEM3 EXXTRA WD**12.2. Persistence and degradability**

OXIRANE, 2-METHYL, POLYMER WITH
OXIRANE, MONO (2-PROPILEPTYL)
ETHER

Rapidly degradable

SODIUM P-CUMENESULPHONATE

Rapidly degradable

2-METHYL-2H-ISOTHIAZOL-3-ONE

Solubility in water

489 g/l

NOT rapidly degradable

HEXANE-1-OL, ETHOXYLATED

Rapidly degradable

DIPROPYLENE GLYCOL MONOMETHYL
ETHER

Solubility in water

1000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

SODIUM P-CUMENESULPHONATE

Partition coefficient: n-octanol/water

-3,12

BCF

< 2,3

2-METHYL-2H-ISOTHIAZOL-3-ONE

Partition coefficient: n-octanol/water

-0,32 Log Kow

DIPROPYLENE GLYCOL MONOMETHYL
ETHER

Partition coefficient: n-octanol/water

0,004

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 14/22

Replaced revision:1 (Printed on: 09/09/2022)

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

Printed on 07/06/2023

Page n. 15/22

Replaced revision:1 (Printed on: 09/09/2022)

B-LEM3 EXXTRA WD

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

**BELLINZONI S.R.L.**

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 16/22

Replaced revision:1 (Printed on: 09/09/2022)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|--------------------------|--|
| Acute Tox. 2 | Acute toxicity, category 2 |
| Acute Tox. 3 | Acute toxicity, category 3 |
| Acute Tox. 4 | Acute toxicity, category 4 |
| Skin Corr. 1B | Skin corrosion, category 1B |
| Eye Dam. 1 | Serious eye damage, category 1 |
| Eye Irrit. 2 | Eye irritation, category 2 |
| Skin Sens. 1A | Skin sensitization, category 1A |
| Aquatic Acute 1 | Hazardous to the aquatic environment, acute toxicity, category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment, chronic toxicity, category 1 |
| H330 | Fatal if inhaled. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H317 | May cause an allergic skin reaction. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |
| EUH210 | Safety data sheet available on request. |

Use descriptor system:

| | | |
|-------------|-----------|---|
| ERC | 8a | Widespread use of non- reactive processing aid (no inclusion into or onto article, indoor) |
| ERC | 8d | Widespread use of non- reactive processing aid (no inclusion into or onto article, outdoor) |
| LCS | C | Consumer use |
| LCS | PW | Widespread use by professional workers |
| PC | 35 | Washing and cleaning products |
| PROC | 10 | Roller application or brushing |
| PROC | 8a | Transfer of substance or mixture (charging and discharging) at non- dedicated facilities |

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%



BELLINZONI S.R.L.

Revision nr. 2

Dated 07/06/2023

B-LEM3 EXXTRA WD

Printed on 07/06/2023

Page n. 17/22

Replaced revision:1 (Printed on: 09/09/2022)

- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 09 / 11 / 12 / 15 / 16.

B-LEM3 EXXTRA WD

**SUMI**
Safe Use of Mixtures
Information**AISE_SUMI_PW_8a_1_G**

Version 1.1, August 2018

Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. This Safe Use Information is based on the **AISE_SWED_PW_8a_1_L** e **AISE_SWED_PW_8a_1_S**.

Operational Conditions

| | |
|--|---|
| Maximum duration | 60 minutes per day. |
| Range of application / Process conditions | Indoor Use. |
| | Process carried out at room temperature. |
| | In case of dilution, tap water at a maximum temperature of 45°C is used. |
| Air exchange rate | Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required. |

Risk Management Measures

| | |
|---|---|
| Measures related to personal protective equipment (PPE), hygiene and health evaluation | Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications  |
| | Training of workers in relation to proper use and maintenance of PPEs must be ensured. |
| Environmental measures | Prevent that undiluted product reaches surface waters. |
| | If appropriate l'AISE SPERC 8a.1.a.v2 : wide dispersive use resulting in release to municipal sewage treatment plant. |

| | | |
|---|--------------------------|--|
|  | BELLINZONI S.R.L. | Revision nr. 2 |
| | B-LEM3 EXXTRA WD | Dated 07/06/2023 Printed on 07/06/2023 Page n. 19/22 Replaced revision:1 (Printed on: 09/09/2022) |

Additional good practice advice

| | |
|---|---|
| Don't eat or drink. Don't smoke. Don't use in proximity of open flame. |  |
| Wash hands after use. Avoid contact with damaged skin. Do not mix with other products. |  |
| Spillage instructions | Dilute with fresh water and mop up. |
| Hygiene practices | Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS. |

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



SUMI Safe Use of Mixtures Information

AISE_SUMI_PW_10_2_G
Version 1.1, August 2018

Professional uses; Brushing after trigger spraying or brushing with tools

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where the product is brushed on a surface, with limited exposure to the hands, either after trigger spraying or through the use of tools such as a mop. This Safe Use Information is based on the **AISE_SWED_PW_10_2**.

Operational Conditions

| | |
|--|---|
| Maximum duration | 480 minutes per day. |
| Range of application / Process conditions | Indoor Use. |
| | Process carried out at room temperature. |
| | In case of dilution, tap water at a maximum temperature of 45°C is used. |
| Air exchange rate | Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required. |

Risk Management Measures

| | |
|---|--|
| Measures related to personal protective equipment (PPE), hygiene and health evaluation | Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications.   |
| | Training of workers in relation to proper use and maintenance of PPEs must be ensured. |
| Environmental measures | Prevent that undiluted product reaches surface waters. |
| | If appropriate l'AISE SPERC 8a.1.a.v2 may apply : wide dispersive use resulting in release to municipal sewage treatment plant. |

| | | |
|---|--------------------------|--|
|  | BELLINZONI S.R.L. | Revision nr. 2 |
| | B-LEM3 EXXTRA WD | Dated 07/06/2023 Printed on 07/06/2023 Page n. 21/22 Replaced revision:1 (Printed on: 09/09/2022) |

Additional good practice advice

| | |
|---|---|
| Don't eat or drink. Don't smoke. Don't use in proximity of open flame. |  |
| Wash hands after use. Avoid contact with damaged skin. Do not mix with other products. |  |
| Spillage instructions | Dilute with fresh water and mop up. |
| Hygiene practices | Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS. |

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document

| | | |
|--|--------------------------|--|
|  | BELLINZONI S.R.L. | Revision nr. 2 |
| | B-LEM3 EXXTRA WD | Dated 07/06/2023 Printed on 07/06/2023 Page n. 22/22 Replaced revision:1 (Printed on: 09/09/2022) |

WORKING INSTRUCTIONS SHEET

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

| | |
|---|---|
| Operation planned | Transfer of substance or mixture (charging and discharging) at non- dedicated facilities [PROC8a]; Roller application or brushing [PROC10]; |
| Product name | B-LEM3 EXXTRA WD |
| Risks of the product as it is | H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. |
| Risks of the product at the maximum concentration of use (3 %) | At the maximum recommended use concentration the product is classified Not dangerous according to Regulation (EC) No. 1272/2008 |
| Handling of the product as it is | Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas |
| Handling of the product at the maximum concentration of use (3 %) | At work do not eat or drink |
| PPE required For product as it is (transfer, concentrated use) | Protect hands with category III work gloves (see standard EN 374). Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wear airtight protective goggles (see standard EN 166). |
| PPE required for the product at the maximum concentration of use (3 %) | Protect hands with category III work gloves (see standard EN 374). |
| In case of emergency (accidents involving exposure to the product) | Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS |
| In case of accidental spillage of large quantities In concentrated form | Wear gloves, goggles and protective clothing (for specifications refer to to section 8.2. of the SDS). Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS |
| In case of accidental spillage of large quantities at the maximum use concentration (3 %) | Wear gloves, goggles and protective clothing (for specifics refer to section 8.2. Of the SDS of the product as it is). Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS of the product as it is. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS of the product as it is. |
| Product storage | Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS |
| In case of accidents, emergencies or fire in the work area | Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS |