

Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n 1/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: Product name P110RFR - P110RFR07L B-REFRESH TOP WCJ0-60KA-M003-9S1Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Neutral sanitizing detergent for cleaning surfaces in marble, granite, natural stone, marble-resin, quartz-resin

Identified Uses	Industrial	Professional	Consumer	
Detergent, sanitizing, neutral	-	ERC: 8a, 8d.	ERC: 8a, 8d.	
		PROC: 11.	PC: 35.	
		PC: 35.	LCS: C.	
		LCS: PW.		

1.3. Details of the supplier of the safety data sheet

Name Full address District and Country BELLINZONI S.R.L. Via Mezzano 64 28069 Trecate (NO) Italia

Tel. +39 0321 770558

e-mail address of the competent person

responsible for the Safety Data Sheet

Supplier:

laboratorio@bellinzoni.com

BELLINZONI S.r.I.

1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma - Piazza Sant`Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 CAP: 71122 Telefono: 800183459 Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" Napoli Via A. Cardarelli, 9 CAP: 80131081-Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" Roma V.le del Policlinico, 155 CAP: 161 Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" Roma Largo Agostino Gemelli, 8 CAP: 168 -Telefono: 06-3054343 - Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze Largo Brambilla, 3 CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica Pavia Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda Milano Piazza Ospedale Maggiore,3 CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII Bergamo Piazza OMS, 1 CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona Verona Piazzale Aristide Stefani, 1 CAP: 37126 Telefono 800011858 Responsabile: Giorgio Ricci



Revision nr. 1

Dated 05/01/2022
Printed on 31/05/2022

Page n. 2/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878. Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Signal words: --

Hazard statements:

EUH210 Safety data sheet available on request.

Precautionary statements:

P102 Keep out of reach of children.

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% cationic surfactants, non-ionic surfactants

dye

perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.



Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n. 3/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

2-BUTOXYETHANOL

CAS 111-76-2 1 ≤ x < 2 Acute Tox. 3 H331, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC 203-905-0 LD50 Oral: 1200 mg/kg bw/day, LC50 Inhalation vapours: 3 mg/l/4h

INDEX 603-014-00-0

REACH Reg. 01-2119475108-36

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.



Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n 4/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available



Revision nr. 1

Dated 05/01/2022
Printed on 31/05/2022

Page n. 5/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

AUS BEL	Österreich Belgique	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2021 , Fassung vom 17.06.2021 Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари
CHE	Suisse / Schweiz	2020r.) Valeurs limites d`exposition aux postes de travail: VME/VLE (SUVA). Grenzwerte am Arbeitsplatz: MAK (SUVA)
CYP	Κύπρος	(SUVA) Οι πεπί Αζθάλειαρ και Υγείαρ ζηην Δπγαζία (Φημικοί Παπάγονηερ) (Τποποποιηηικοί) Κανονιζμοί ηος 2019. Οι περί Ασφάλειας και Υγείας στην Εργασία (Καρκινογόνοι και Μεταλλαξιογόνοι Παράγοντες) (Τροποποιητικοί) Κανονισμοί του 2020
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
EST	Eesti	Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötervishoiu ja tööohutuse nõuded ning töökeskkonna keemiliste ohutegurite piirnormid [RT I, 17.10.2019, 1 - jõust. 17.01.2020]
FRA FIN	France Suomi	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH
GRC	Ελλάδα	HALSOVARDSMINISTERIETS PUBLIKATIONER 2020:25 Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA IRL	Italia Éire	Decreto Legislativo 9 Aprile 2008, n.81
		2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
LUX	Luxembourg	Règlement grand-ducal du 24 janvier 2020 modifiant le règlement grand-ducal du 14 novembre 2016 concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou
LTU	Lietuva	mutagènes au travail Jsakymas dėl lietuvos higienos normos hn 23:2011 "cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai" patvirtinimo
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
MLT	Malta	PROTECTION OF THE HEALTH AND SAFETY OF WORKERS FROM THE RISKS RELATED TO CHEMICAL AGENTS AT WORK REGULATIONS (S.L.424.24). PROTECTION OF WORKERS FROM THE RISKS RELATED TO EXPOSURE TO CARCINOGENS OR MUTAGENS AT WORK REGULATIONS (S.L.424.22)
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21.
NLD	Nederland	august 2018 nr. 1255 Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à
POL	Polska	exposição durante o trabalho a agentes cancerígenos ou mutagénicos Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w
ROU	România	środowisku pracy Hotarârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea
SWE	Sverige	şi completarea hotărârii guvernului nr. 1.093/2006 Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s
SVN	Slovenija	expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list



Türkiye United Kingdom OEL EU

TUR GBR EU

BELLINZONI S.R.L.

Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n. 6/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)

Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733 EH40/2005 Workplace exposure limits (Fourth Edition 2020)
Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2021

Type	ue Country	TWA/8h		STEL/15min		Remarks / Observation	ne.
		mg/m3	ppm	mg/m3	ppm	Observation	15
MAK	AUS	98	20	200	40	SKIN	STEL:30', Häufigkeit/Sch:4x
VLEP	BEL	98	20	246	50	SKIN	J
TLV	BGR	98	20	246	50	SKIN	
MAK	CHE	49	10	98	20	SKIN	
VME/VLE	CHE	49	10	98	20	SKIN	
TLV	CYP	98	20	246	50	SKIN	
TLV	CZE	100	20,7	200	41,4	SKIN	
AGW	DEU	49	10	98 (C)	20 (C)	SKIN	
MAK	DEU	49	10	98	20	SKIN	Hinweis
TLV	DNK	98	20			SKIN	E
VLA	ESP	98	20	245	50	SKIN	
TLV	EST	98	20	246	50	SKIN	
VLEP	FRA	49	10	246	50	SKIN	
HTP	FIN	98	20	250	50	SKIN	
TLV	GRC	120	25				
AK	HUN	98		246		SKIN	
GVI/KGVI	HRV	98	20	246	50	SKIN	
VLEP	ITA	98	20	246	50	SKIN	
OELV	IRL	98	20	246	50	SKIN	
VL	LUX	98	20	246	50	SKIN	
RD	LTU	50	10	100	20	SKIN	
RV	LVA	98	20	246	50	SKIN	
TLV	MLT	98	20	246	50	SKIN	
TLV	NOR	50	10			SKIN	
TGG	NLD	100		246		SKIN	
VLE	PRT	98	20	246	50	SKIN	
NDS/NDSCh	POL	98		200		SKIN	
TLV	ROU	98	20	246	50	SKIN	
NGV/KGV	SWE	50	10	246	50	SKIN	
NPEL	SVK	98	20	246	50	SKIN	
MV	SVN	98	20	246	50	SKIN	
ESD	TUR	98	20	246	50	SKIN	



Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n. 7/18

Replaced revision:1 (Printed on: 05/01/2022)

		FS		

WEL	GBR	123	25	246	50	SKIN	
OEL	EU	98	20	246	50	SKIN	
TLV-ACGIH		97	20				
Predicted no-effect concentration	n - PNEC						
Normal value in fresh water				88	mç	g/l	

Normal value in fresh water	88	mg/l	
Normal value in marine water	88	mg/l	
Normal value for fresh water sediment	346	mg/kg	
Normal value for marine water sediment	346	mg/kg	
Normal value for water, intermittent release	91	mg/l	
Normal value of STP microorganisms	463	mg/l	
Normal value for the food chain (secondary poisoning)	2	g/kg	
Normal value for the terrestrial compartment	233	mg/kg	

Health - Derived no-ef	fect level - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	26.7 mg/kg bw/d			6.3 mg/kg bw/d				
Inhalation	147 mg/m3	426 mg/m3		59 mg/m3	246 mg/m3	1091 mg/m3		98 mg/m3
Skin	89 mg/kg bw/d			75 mg/kg bw/d		89 mg/kg bw/d		125 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

None required.

SKIN PROTECTION

Wear normal work clothes

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.



Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n. 8/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Colour Appearance Colour Appearance Colour Auto-ignition temperature PH Kinematic viscosity Dynamic viscosity Dynamic viscosity Dynamic viscosity Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Partition conditions and partition Colour Auto-ignition temperature Ph Liquid blue Authod: Authod: Authod: Auto-ignition temperature Ph Auto-ign	Pı	roperties	Value	Information
Melting point / freezing point Initial boiling point Flammability Lower explosive limit Not available Concentration: 1,3 % Substance:2-BUTOXYETHANOL Upper explosive limit Not available Concentration: 1,6 % Substance:2-BUTOXYETHANOL Flash point Auto-ignition temperature pH 7,00 ± 0,50 Kinematic viscosity Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Not available -5 ± 2 °C Method:own Method:own Substance:2-BUTOXYETHANOL Method:Own Instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67 Method:Dalculation Method:Calculation Method:Own Reason for missing data:The product is a blend Method:Calculation Method:Calculation Method:Calculation Method:Calculation Not available Reason for missing data:The product is a blend Method:Calculation Method:Calculation Method:Coun Instrument: METTLER TOLEDO DENSITOPRO Relative vapour density 4,1 Substance:2-BUTOXYETHANOL			•	Method:visual
Upper explosive limit Not available Concentration: 10,6 % Substance:2-BUTOXYETHANOL Flash point > 60 °C Auto-ignition temperature pH Flash point Substance:2-BUTOXYETHANOL Auto-ignition temperature pH Flash point Substance:2-BUTOXYETHANOL Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67 Kinematic viscosity Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Partition coefficient: 1,00 - 1,05 g/cm3 Substance:2-BUTOXYETHANOL Method:own Method:calculation Method:calculation Method:own Reason for missing data:The product is a blend Method:calculation Method:cown Instrument: METTLER TOLEDO DENSITOPRO Substance:2-BUTOXYETHANOL	M In	lelting point / freezing point iitial boiling point	-5 ± 2 °C 99 ± 2 °C	Method:own
Flash point > 60 °C Auto-ignition temperature pH	Lo	ower explosive limit	Not available	· · · · · · · · · · · · · · · ·
Auto-ignition temperature pH	U	pper explosive limit	Not available	
PH 7,00 ± 0,50 Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67 Kinematic viscosity 5,0 mm2/s Method:Calculation Dynamic viscosity 5 cP Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C) Solubility soluble in water in any ratio Partition coefficient: n-octanol/water Not available Reason for missing data:The product is a blend Vapour pressure 17,33 mmHg Method:calculation Density and/or relative density 1,00 - 1,05 g/cm3 Method:Own Instrument: METTLER TOLEDO DENSITOPRO Relative vapour density 4,1 Substance:2-BUTOXYETHANOL	FI	lash point	> 60 °C	
Dynamic viscosity Solubility Soluble in water in any ratio Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density 5 cP Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C) Method:own Reason for missing data:The product is a blend Method:calculation Method:Own Instrument: METTLER TOLEDO DENSITOPRO Substance:2-BUTOXYETHANOL				Method:own instrument: METTLER TOLEDO SEVEN GO
,	Dy Sc Pa Va	ynamic viscosity olubility artition coefficient: n-octanol/water apour pressure	5 cP soluble in water in any ratio Not available 17,33 mmHg	Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C) Method:own Reason for missing data:The product is a blend Method:calculation Method:Own
		, ,	•	Substance:2-BUTOXYETHANOL

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 1,81 % - 18,27 g/litre VOC (volatile carbon) 1,07 % - 10,80 g/litre

Explosive properties not explosive Remark:it does not contain substances classified as explosive Not oxidizing Remark:it does not contain substances classified as oxidizing



Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n. 9/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

Reacts with: strong oxidizing agents, strong bases, strong acids

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Combustible substances. Strong oxidizing agents. Strong foundations

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Aldehydes. Ketones

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

ATE (Oral) of the mixture:

> 20 mg/l >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)



Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n. 10/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

2-BUTOXYETHANOL

LD50 (Dermal): LD50 (Oral):

LC50 (Inhalation vapours):

> 2000 mg/kg bw/day ratto (OECD 402) 1200 mg/kg bw/day ratto maschio (OCSE 401) 3 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class



Revision nr. 1

Dated 05/01/2022
Printed on 31/05/2022

Page n. 11/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

2-BUTOXYETHANOL

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

Chronic NOEC for Fish

1474 mg/l/96h Oncorhynchus mykiss (OECD 203)

1550 mg/l/48h Daphnia magna (OECD 202)

911 mg/l/72h Pseudokirchneriella subcapitata (OECD 201)

> 100 mg/l 21d Brachydanio rerio (OECD 204)

12.2. Persistence and degradability

2-BUTOXYETHANOL

Rapidly degradable



Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n. 12/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

12.3. Bioaccumulative potential

2-BUTOXYETHANOL

Partition coefficient: n-octanol/water

0,81

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable



Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n. 13/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

1	145	Fnvir	onmer	ıtal l	nazards	

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None



Revision nr. 1

Dated 05/01/2022
Printed on 31/05/2022

Page n. 14/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

Healthcare controls

Information not available

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

2-BUTOXYETHANOL

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3 Acute toxicity, category 3
Acute Tox. 4 Acute toxicity, category 4
Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

H331 Toxic if inhaled.
H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

EUH210 Safety data sheet available on request.

Use descriptor system:

ERC	8a	Widespread use of non- reactive processing aid (no inclusion into or onto article, indoor)
ERC	8d	Widespread use of non- reactive processing aid (no inclusion into or onto article, outdoor)
	_	

LCS C Consumer use

LCS PW Widespread use by professional workers PC Washing and cleaning products

PROC 11 Non industrial spraying

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation



Revision nr. 1

Dated 05/01/2022 Printed on 31/05/2022

Page n 15/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation) 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.


Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.



SUMI Safe Use of Mixtures Information



AISE_SUMI_PW_11_1

Version 1.1, August 2018

Professional uses; (Trigger) spraying

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the AISE_SWED_PW_11_1.

Operational Conditions

Maximum duration	60 minutes per day.
Range of application /	Indoor Use.
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to	See section 8 of the SDS of this product for specifications.					
personal protective equipment (PPE), hygiene and health evaluation	Training of workers in relation to proper use and maintenance of PPEs must be ensured.					
Environmental	Prevent that undiluted product reaches surface waters.					
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.					



Revision nr. 1

Dated 05/01/2022

Printed on 31/05/2022

Page n. 17/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

<u>Disclaimer</u>

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk.

A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



Dated 05/01/2022

Revision nr. 1

Printed on 31/05/2022

Page n. 18/18

Replaced revision:1 (Printed on: 05/01/2022)

B-REFRESH TOP

WORKING INSTRUCTIONS SHEET

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	PROC 11: Non industrial spraying
Product name	B-REFRESH TOP
Risks of the product as it is	The product is classified as Non-hazardous according to Regulation (EC) No. 1272/2008
Handling of the product as it is	Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.
PPE required For product as it is	Wear normal work clothes.
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS
In case of accidental spillage of large quantities of the product as it is	Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS
Product storage	Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep the containers away from any incompatible materials, checking the sect. 10. Of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS