

**BELLINZONI S.R.L.**

Revision nr. 1

Dated 06/12/2021

B-SUPER CLEANER

Printed on 01/12/2022

Page n. 1/24

Replaced revision:1 (Printed on: 06/12/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P117SPC - P117SPC10L - P117SPC50L
Product name: B-SUPER CLEANER
UFI: GKM0-C0HN-J00Y-GN6D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Super degreaser for surfaces in porcelain stoneware, klinker, ceramic, granite, marble

Identified Uses	Industrial	Professional	Consumer
Degreaser	-	ERC: 8a, 8d. PROC: 10, 8a. PC: 35. LCS: PW.	-

1.3. Details of the supplier of the safety data sheet

Name: BELLINZONI S.R.L.
Full address: Via Mezzano 64
District and Country: 28069 Trecate (NO)
Italy
Tel. +39 0321 770558

e-mail address of the competent person


responsible for the Safety Data Sheet
Supplier:

laboratorio@bellinzoni.com
BELLINZONI S.r.l.

1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA – Roma - Piazza Sant' Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia – Foggia - V.le Luigi Pinto, 1 – CAP: 71122 – Telefono: 800183459 – Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" – Napoli - Via A. Cardarelli, 9 – CAP: 80131081- Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" - Roma - V.le del Policlinico, 155 – CAP: 161 – Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" - Roma - Largo Agostino Gemelli, 8 – CAP: 168 – Telefono: 06-3054343 – Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica – Firenze - Largo Brambilla, 3 – CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica - Pavia – Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda – Milano - Piazza Ospedale Maggiore, 3 – CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII – Bergamo - Piazza OMS, 1 – CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona – Verona - Piazzale Aristide Stefani, 1 – CAP: 37126 – Telefono 800011858 – Responsabile: Giorgio Ricci

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 2/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1

H318

Causes serious eye damage.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318

Causes serious eye damage.

EUH210

Safety data sheet available on request.

Precautionary statements:

P102

Keep out of reach of children.

P280

Wear protective gloves / eye protection / face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313

If skin irritation or rash occurs: Get medical advice / attention.

Contains:

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL, ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO), POLY (OXY-1,2-ETHANYL), ALPHA -TRIDECYL- OMEGA -HYDROXY-, BRANCHED

Ingredients according to Regulation (EC) No. 648/2004

Less than 5%

non-ionic surfactants, soap

5% or over but less than 15%


anionic surfactants

Dye. Perfumes, Citral, Limonene, Linalool

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 3/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 3. Composition/information on ingredients

3.1. Substances


Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
BENZYL ALCOHOL		
INDEX 603-057-00-5	$9 \leq x < 10$	Acute Tox. 4 H302, Acute Tox. 4 H332, Eye Irrit. 2 H319
EC 202-859-9		LD50 Oral: 1620 mg/kg, STA Inhalation vapours: 11 mg/l
CAS 100-51-6		
REACH Reg. 01-2119492630-38		
SODIUM P-CUMENESULPHONATE		
INDEX	$3 \leq x < 4$	Eye Irrit. 2 H319
EC -		
CAS 15763-76-5		
REACH Reg. 01-2119489411-37-0004		
2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL		
INDEX -	$3 \leq x < 4$	Eye Dam. 1 H318
EC 692-614-6		
CAS 5660-53-7		
REACH Reg. 01-2120039709-47-XXXX		
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO)		
INDEX -	$3 \leq x < 4$	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
EC 500-234-8		Eye Dam. 1 H318: $\geq 10\%$, Eye Irrit. 2 H319: $\geq 5\%$
CAS 68891-38-3		
REACH Reg. 01-2119488639-16-xxxx		
2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL		
INDEX -	$3 \leq x < 4$	Eye Irrit. 2 H319
EC 202-888-7		
CAS 100-79-8		
REACH Reg. 01-2120066005-66-XXXX		
POLY (OXY-1,2-ETHANYL), ALPHA-TRIDECYL- OMEGA - HYDROXY-, BRANCHED		
INDEX -	$1 \leq x < 2$	Acute Tox. 4 H302, Eye Dam. 1 H318
EC 500-241-6		LD50 Oral: >300 mg/kg
CAS 69011-36-5		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 4/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures


6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 5/24 Replaced revision:1 (Printed on: 06/12/2021)

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)


Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

AUS	Österreich	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2021, Fassung vom 17.06.2021
BEL	Belgique	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail: VME/VLE (SUVA). Grenzwerte am Arbeitsplatz: MAK (SUVA)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
EST	Eesti	Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötervishoiu ja tööohutuse nõuded ning töökeskkonna keemiliste ohutegurite piinormid [RT I, 17.10.2019, 1 - jõust. 17.01.2020]
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α' 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 6/24 Replaced revision:1 (Printed on: 06/12/2021)


IRL	Éire	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) Jsakymas dėl lietuovs higienos normos hn 23:2011 „cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai“ patvirtinimo Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §) Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255 Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) ACGIH 2021 ACGIH TLVs and BEIs – Appendix H
LTU	Lietuva	
LVA	Latvija	
NOR	Norge	
POL	Polska	
SWE	Sverige	
SVN	Slovenija	
GBR	TLV-ACGIH RCP TLV	

BENZYLIC ALCHOOL


Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV	BGR	5					
MAK	CHE	22	5			SKIN	
VME/VLE	CHE	22	5			SKIN	
TLV	CZE	40	9,04	80	18,08		
AGW	DEU	22	5	44	10	SKIN	11
HTP	FIN	45	10				
RD	LTU	5				SKIN	
RV	LVA	5					
NDS/NDSch	POL	240					
MV	SVN	22	5	44	10	SKIN	
Predicted no-effect concentration - PNEC							
Normal value in fresh water				1		mg/l	
Normal value in marine water				1		mg/l	
Normal value for fresh water sediment				527		mg/kg	
Normal value for marine water sediment				527		mg/kg	
Normal value for water, intermittent release				23		mg/l	
Normal value of STP microorganisms				39		mg/l	
Normal value for the terrestrial compartment				45		mg/kg	

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			Chronic systemic
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	
Oral		20 mg/kg bw/d		4 mg/kg bw/d				
Inhalation		27 mg/m3		5,4 mg/m3		110 mg/m3		22 mg/m3
Skin		20 mg/kg bw/d		4 mg/kg bw/d		40 mg/kg bw/d		8 mg/kg bw/d

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 7/24 Replaced revision:1 (Printed on: 06/12/2021)

SODIUM P-CUMENESULPHONATE								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				23		mg/l		
Normal value for water, intermittent release				23		mg/l		
Normal value of STP microorganisms				100		mg/l		
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral								3.8 mg/kg bw/d
Inhalation				13.2 mg/m3				53.6 mg/m3
Skin				3.8 mg/kg bw/d				7.6 mg/kg bw/d
2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,598		mg/l		
Normal value in marine water				0,0598		mg/l		
Normal value for fresh water sediment				2,71		mg/kg		
Normal value for marine water sediment				0,27		mg/kg		
Normal value for water, intermittent release				5,98		mg/l		
Normal value of STP microorganisms				32		mg/l		
Normal value for the terrestrial compartment				0,197		mg/kg		
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO)								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				24		mg/l		
Normal value in marine water				24		mg/l		
Normal value for fresh water sediment				9168		mg/kg		
Normal value for marine water sediment				917		mg/kg		
Normal value for water, intermittent release				71		mg/l		
Normal value of STP microorganisms				10000		mg/l		
Normal value for the terrestrial compartment				75		mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				15 mg/kg/d				
Inhalation				52 mg/m3				175 mg/m3
Skin			0.079 mg/cm2	1650 mg/kg/d			0.132 mg/cm2	2750 mg/kg/d

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 8/24 Replaced revision:1 (Printed on: 06/12/2021)

2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL

Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,2	mg/l
Normal value in marine water	0,2	mg/l
Normal value for fresh water sediment	1,183	mg/kg dw
Normal value for marine water sediment	0,1183	mg/kg dw
Normal value for water, intermittent release	0,09	mg/l
Normal value of STP microorganisms	10	mg/l
Normal value for the terrestrial compartment	2,5	mg/kg dw

POLY(OXY-1,2-ETHANYL), ALPHA -TRIDECYL- OMEGA -HYDROXY-, BRANCHED

Predicted no-effect concentration - PNEC		
Normal value in fresh water	0,074	mg/l
Normal value in marine water	0,0074	mg/l
Normal value for fresh water sediment	0,604	mg/kg dw
Normal value for marine water sediment	0,0604	mg/kg dw
Normal value for water, intermittent release	0,015	mg/l
Normal value of STP microorganisms	1,4	mg/l
Normal value for the terrestrial compartment	0,1	mg/kg dw


Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			Chronic systemic
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	
Oral				25 mg/kg bw/d				
Inhalation				87 mg/m3				294 mg/m3
Skin				1250 mg/kg bw/d				2080 mg/kg bw/d

DIPENTENE

Threshold Limit Value					
Type	Country	TWA/8h		STEL/15min	Remarks / Observations
		mg/m3	ppm	mg/m3	ppm
RD	LTU	150	25	300	50
TLV	NOR	140	25		
NGV/KGV	SWE	150	25	300 (C)	50 (C)

LINALOOL

Predicted no-effect concentration - PNEC		
Normal value in fresh water	200	µg/l
Normal value in marine water	2	mg/l
Normal value for fresh water sediment	2,22	mg/kg dw
Normal value for marine water sediment	222	µg/kg dw
Normal value of STP microorganisms	10	mg/l
Normal value for the food chain (secondary poisoning)	7,8	mg/kg
Normal value for the terrestrial compartment	327	µg/kg dw

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 9/24 Replaced revision:1 (Printed on: 06/12/2021)

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,2 µg/kg bw/day		200 µg/kg bw/day				
Inhalation		4,1 mg/m3	4,1	700 µg/m3		16,5 mg/m3	16,5	2,8 mg/m3
Skin	1,5 mg/cm2	2,5 mg/kg bw/d	1,5 mg/cm2	1,25 mg/kg bw/d	3 mg/cm2	5 mg/kg bw/d	3 mg/cm2	2,5 mg/kg bw/d

CITRAL								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				6,78	µg/l			
Normal value in marine water				678	ng/l			
Normal value for fresh water sediment				125	µg/kg dw			
Normal value for marine water sediment				12,5	µg/kg dw			
Normal value for water, intermittent release				67,8	µg/l			
Normal value of STP microorganisms				1,6	mg/l			
Normal value for the terrestrial compartment				20,9	µg/kg dw			

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				600 µg/kg bw/d				
Inhalation				2,7 mg/m3				9 mg/m3
Skin			140 µg/cm²	1 mg/kg bw/d				1,7 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION


Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 10/24 Replaced revision:1 (Printed on: 06/12/2021)

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	Method:visual
Colour	yellow	
Odour	lemon	Method:own
Melting point / freezing point	< -5 °C	Method:own
Initial boiling point	205,3 °C	Substance:BENZYL ALCOHOL
Flammability	not available	Remark:it does not contain substances classified as flammable
Lower explosive limit	not available	Concentration: 1,3 % Substance:BENZYL ALCOHOL
Upper explosive limit	not available	Concentration: 13 % Substance:BENZYL ALCOHOL
Flash point	> 60 °C	Remark:it does not contain substances classified as flammable
Auto-ignition temperature	436 °C	Substance:BENZYL ALCOHOL
Decomposition temperature	not available	
pH	10,90 ± 0,50	Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67
Kinematic viscosity	4,0 mm ² /s	Method:Calculation
Dynamic viscosity	4,0 cP	Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C)
Solubility	soluble in water in any ratio	Method:own
Partition coefficient: n-octanol/water	not available	Reason for missing data:The product is a blend
Vapour pressure	15,27 mmHg	Method:calculation
Density and/or relative density	1,01 - 1,05 g/cm ³	Method:Own Instrument: METTLER TOLEDO DENSITOPRO Substance:2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL
Relative vapour density	2,6	
Particle characteristics	not applicable	


9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	0,16 % - 1,60 g/litre	
VOC (volatile carbon)	0,13 % - 1,35 g/litre	
Explosive properties	not explosive	Remark:it does not contain substances classified as explosive
Oxidising properties	not oxidizing	Remark:it does not contain substances classified as oxidizing

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 11/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 10. Stability and reactivity

10.1. Reactivity

Strong oxidants, strong reducing agents, strong acids, strong bases

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

In contact with an acid it develops: Acetone

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Strong oxidants, strong reducing agents, strong acids, strong bases

10.6. Hazardous decomposition products

On combustion or thermal decomposition (pyrolysis), liberates: (Carbon oxides, CO + CO₂), Acetic acid, Ethanol.

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure


Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 12/24 Replaced revision:1 (Printed on: 06/12/2021)

BENZYL ALCOHOL

LD50 (Dermal):	2000 mg/kg coniglio
LD50 (Oral):	1620 mg/kg ratto (maschio)
LC50 (Inhalation vapours):	> 4178 mg/l/4h ratto (OCSE 403)
STA (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

SODIUM P-CUMENESULPHONATE

LD50 (Dermal):	> 2000 mg/kg coniglio
LD50 (Oral):	> 7000 mg/kg ratto
LC50 (Inhalation vapours):	> 641 mg/l/4h ratto

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL

LD50 (Oral):	> 2000 mg/kg rat - Metodo: OECD TG 423
--------------	--

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO)

LD50 (Dermal):	> 2000 mg/kg Ratto (OECD 402)
LD50 (Oral):	> 2000 mg/kg Ratto (OECD 401)

2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL

LD50 (Dermal):	2000 mg/kg rat - Linee Guida 402 per il Test dell'OECD
LD50 (Oral):	7000 mg/kg rat
LC50 (Inhalation mists/powders):	> 5,11 mg/l rat - Linee Guida 403 per il Test dell'OECD

POLY (OXY-1,2-ETHANYL), ALPHA -TRIDECYL- OMEGA -HYDROXY-, BRANCHED

LD50 (Dermal):	> 2000 mg/kg rat (OECD - linea guida 402)
LD50 (Oral):	> 300 mg/kg rat (OECD-Linea guida 423)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION


Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 13/24 Replaced revision:1 (Printed on: 06/12/2021)

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

BENZYL ALCOHOL

LC50 - for Fish	460 mg/l/96h Pimephales promelas
EC50 - for Crustacea	230 mg/l/48h Daphnia magna (OCSE 202)
EC50 - for Algae / Aquatic Plants	770 mg/l/72h Pseudokirchneriella subcapitata (OCSE 201)
Chronic NOEC for Crustacea	51 mg/l 21d Daphnia magna (OCSE 211)

2,2-DIMETHYL-1,3-DIOXOLAN-4- ILMETHANOL


LC50 - for Fish	16700 mg/l/96h Pimephales promelas (Cavedano americano)
EC50 - for Crustacea	> 96 mg/l/48h Daphnia similis (Pulce d'acqua)
EC50 - for Algae / Aquatic Plants	> 92 mg/l/72h Pseudokirchneriella subcapitata (alghe cloroficee)

SODIUM P-CUMENESULPHONATE

LC50 - for Fish	1000 mg/l/96h Oncorhynchus mykiss (EPA OTS 797.1400)
EC50 - for Crustacea	1000 mg/l/48h Daphnia Magna (EPA OTS 797.1300)
EC50 - for Algae / Aquatic Plants	> 230 mg/l/96h Selenastrum capricornutum (EPA OTS 797.1050)
Chronic NOEC for Algae / Aquatic Plants	31 mg/l/96h Selenastrum capricornutum (EPA OTS 797.1050)

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE- 4-METHANOL

LC50 - for Fish	> 100 mg/l/96h Oncorhynchus mykiss (Trota iridea) - Metodo: Linee Guida 203 per il Test dell'OECD
EC50 - for Crustacea	> 100 mg/l/48h Daphnia magna (Pulce d'acqua grande) - Metodo: OECD TG 202
EC50 - for Algae / Aquatic Plants	598 mg/l/72h Pseudokirchneriella subcapitata (alghe cloroficee) - Metodo: OECD TG 201
EC10 for Algae / Aquatic Plants	262 mg/l/48h Pseudokirchneriella subcapitata (alghe cloroficee) - Metodo: OECD TG 201

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 14/24 Replaced revision:1 (Printed on: 06/12/2021)

ALCOHOLS, C12-14, ETHOXYLATED,
SULFATES, SODIUM SALTS (< 2.5 EO)

LC50 - for Fish

> 1 mg/l/96h Brachydanio rerio (danio zebrato o pesce zebra) (OECD 203)

EC50 - for Crustacea

> 1 mg/l/48h Daphnia magna (Pulce d'acqua grande) (OECD TG 202)

EC50 - for Algae / Aquatic Plants

> 10 mg/l/72h Desmodesmus subspicatus (alga verde) (OECD TG 201)

Chronic NOEC for Fish

14 mg/l Oncorhynchus mykiss (Trota iridea) - NOEC (28 D) (OECD TG 204)

Chronic NOEC for Crustacea

27 mg/l Daphnia magna (Pulce d'acqua grande) (OECD TG 211)

Chronic NOEC for Algae / Aquatic Plants

0,93 mg/l Desmodesmus subspicatus (alga verde) - NOEH (72 h) (OECD TG 201)

POLY (OXY-1,2-ETHANYL), ALPHA -
TRIDECYL- OMEGA -HYDROXY-,
BRANCHED

LC50 - for Fish

> 1 mg/l/96h leuciscus idus

EC50 - for Crustacea

> 1 mg/l/48h

EC50 - for Algae / Aquatic Plants

> 1 mg/l/72h

Chronic NOEC for Crustacea

> 1 mg/l Daphnia magna (OECD - linea guida 202, parte 2, semistatico)

12.2. Persistence and degradability

BENZYL ALCOHOL

Rapidly degradable

2,2-DIMETHYL-1,3-DIOXOLAN-4-
ILMETHANOL

NOT rapidly degradable

SODIUM P-CUMENESULPHONATE

Rapidly degradable

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-
METHANOL

Solubility in water

34,6 g/l

NOT rapidly degradable

ALCOHOLS, C12-14, ETHOXYLATED,
SULFATES, SODIUM SALTS (< 2.5 EO)

Rapidly degradable

POLY (OXY-1,2-ETHANYL), ALPHA -
TRIDECYL- OMEGA -HYDROXY-,
BRANCHED

Rapidly degradable

12.3. Bioaccumulative potential

BENZYL ALCOHOL

Partition coefficient: n-octanol/water

1,05


SODIUM P-CUMENESULPHONATE

Partition coefficient: n-octanol/water

-3,12

BCF

< 2,3

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 15/24 Replaced revision:1 (Printed on: 06/12/2021)

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL

Partition coefficient: n-octanol/water 1,57

POLY(OXY-1,2-ETHANYL), ALPHA -TRIDECYL- OMEGA -HYDROXY-, BRANCHED

Partition coefficient: n-octanol/water 4,73 25°C

12.4. Mobility in soil

2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL

Partition coefficient: soil/water < 1,25 Linee Guida 121 per il Test dell'OECD

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL

Partition coefficient: soil/water 0,95 Metodo: Linee Guida 106 per il Test dell'OECD

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO)

Partition coefficient: soil/water 2,2 calcolato

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations


13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 16/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None


Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 17/24 Replaced revision:1 (Printed on: 06/12/2021)

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

BENZYL ALCOHOL


SODIUM P-CUMENESULPHONATE

2-ISOBUTYL-2-METHYL-1,3-DIOXOLANE-4-METHANOL

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS (< 2.5 EO)

2,2-DIMETHYL-1,3-DIOXOLAN-4-ILMETHANOL

POLY (OXY-1,2-ETHANYL), ALPHA -TRIDECYL- OMEGA -HYDROXY-, BRANCHED

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 18/24 Replaced revision:1 (Printed on: 06/12/2021)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:


Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

Use descriptor system:

ERC	8a	Widespread use of non- reactive processing aid (no inclusion into or onto article, indoor)
ERC	8d	Widespread use of non- reactive processing aid (no inclusion into or onto article, outdoor)
LCS	PW	Widespread use by professional workers
PC	35	Washing and cleaning products
PROC	10	Roller application or brushing
PROC	8a	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 19/24 Replaced revision:1 (Printed on: 06/12/2021)

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.


Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 20/24 Replaced revision:1 (Printed on: 06/12/2021)

SUMI Safe Use of Mixtures Information



AISE_SUMI_PW_8a_1_G

Version 1.1, August 2018

Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.



General description of the process covered


This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. This Safe Use Information is based on the AISE_SWED_PW_8a_1_L e AISE_SWED_PW_8a_1_S.

Operational Conditions

Maximum duration	60 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications  
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate l'AISE SPERC 8a.1.a.v2: wide dispersive use resulting in release to municipal sewage treatment plant.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 21/24 Replaced revision:1 (Printed on: 06/12/2021)

Additional good practice advice


Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	  
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	  
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 22/24 Replaced revision:1 (Printed on: 06/12/2021)

SUMI

Safe Use of Mixtures

Information



AISE_SUMI_PW_10_2_G
Version 1.1, August 2018

Professional uses; Brushing after trigger spraying or brushing with tools

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.



General description of the process covered


This SUMI applies to professional uses where the product is brushed on a surface, with limited exposure to the hands, either after trigger spraying or through the use of tools such as a mop. This Safe Use Information is based on the **AISE_SWED_PW_10_2**.

Operational Conditions

Maximum duration	480 minutes per day.
Range of application / Process conditions	Indoor Use.
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications.  
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate l'AISE SPERC 8a.1.a.v2 may apply : wide dispersive use resulting in release to municipal sewage treatment plant.

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 23/24 Replaced revision:1 (Printed on: 06/12/2021)

Additional good practice advice


Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	  
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	  
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document

	BELLINZONI S.R.L.	Revision nr. 1
	B-SUPER CLEANER	Dated 06/12/2021 Printed on 01/12/2022 Page n. 24/24 Replaced revision:1 (Printed on: 06/12/2021)

WORKING INSTRUCTIONS SHEET

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities [PROC8a]; Roller application or brushing [PROC10];
Product name	B-SUPER CLEANER
Risks of the product as it is	Causes serious eye damage
Risks of the product at use concentrations (5% - 20%)	At the maximum recommended use concentration the product is classified Not dangerous according to Regulation (EC) No. 1272/2008
Handling of the product as it is	Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.
Handling of the product at the concentrations of use (5% - 20%)	Do not eat, drink or smoke during use
PPE required for the product as it is (transfer, concentrated use)	Protect hands with category III work gloves (see standard EN 374). Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wear airtight protective goggles (see standard EN 166).
PPE required for the product at the concentrations of use (5% - 20%)	Protect hands with category III work gloves (see standard EN 374). Wear normal work clothes.
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS
In case of accidental spillage of large quantities In concentrated form	Wear gloves, goggles and protective clothing (for specifications refer to section 8.2. of the SDS). Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS
In case of accidental spillage of large quantities at the concentrations of use (5% - 20%)	Wear gloves, goggles and protective clothing (for specifics refer to section 8.2. Of the SDS of the product as it is). Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS of the product as it is. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS of the product as it is.
Product storage	Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS