Stone Polish

MIRACLE Sealants Company www.miraclesealants.com

Natural Stone Polish For

Counter Tops, Fireplaces, Vanities, Walls & Furniture

Special Features

■ Easy-to-Use ■ High Shine

Inexpensive

PRODUCT DESCRIPTION

KEEP OUT OF REACH OF CHILDREN. **Stone Polish** nourishes and enriches the natural beauty and polish of marble, granite, agglomerate, terrazzo and stone counter tops, vanities, fireplaces, furniture and walls. **Stone Polish** is not recommended for floors. **Stone Polish** will hide light scratches and light etch marks while leaving a beautiful protective shine. **Stone Polish** is easy to use and requires no machinery to apply or remove.

Sample Testing

Due to the differences of each material, several inconspicuous test patches should be completed to assure maximum performance. **User must determine suitability of the product for their intended use.**

Protect Neighboring Surfaces

Always protect neighboring surfaces including wood, carpet, metal, landscaping and other surfaces.

APPLICATION INSTRUCTIONS

Read entire label and SDS/PDS before using. This product should be used directly from container and is not under any circumstances to be thinned or diluted with anything before use.

Shake well before using. Apply **Stone Polish** liberally with a clean soft cloth. Allow to dry to a haze before buffing off with a clean dry cloth or #1, #0 or #00 steel wool pad by hand. For larger areas a hand machine may also be used. **NOT FOR USE ON FLOORS.**

Heavy Duty Cleaning: For a non-acid deep clean, use Liquid Poultice as directed.

Light Duty Cleaning: Use Tile & Stone Cleaner or Counter Kleen as directed.

Residue Removal

To remove accumulated **Stone Polish** residue, use **Residue Remover** as directed.

Cure Time

Allow **Stone Polish** to cure 3 - 72 hours before using surface for food contact.

Water, Stain & Slip Protection

To protect cleaned area from future soiling and staining and increase static coefficient of friction, we recommend applying the appropriate **Miracle Penetrating Sealer/ Impregnator.**

<u>Coverage</u>

Coverage will vary depending on density, porosity, texture, surface absorption, weather, time solution left on surface and application methods. Used as directed, **Stone Polish** will cover up to 3,000 square feet per gallon (270 square meters per 3.785 liters)

MAINTENANCE

For ongoing maintenance instructions please refer to **Miracle Sealants Care Guide.** Refer to the **Miracle Sealants Product Recommendation Chart** for specific product recommendations.

Special Notes

To remove scratches and etch marks, try Water Ring & Etch Remover, Mira Polish, Mira Dust or Granite Brite.

Storage

Store **Stone Polish** in the original container, properly sealed and unmixed. Stored at 77° F (25° C), **Stone Polish** will have a shelf life of 12 months. Do not allow to freeze.

Technical Support

For additional technical support, contact Miracle Sealants Company at 1-800-350-1901

Office Hours

Monday - Friday from 8:30 am - 5:00 pm PT. 1-800-350-1901 • Fax: 1-626-443-1435 website: www.miraclesealants.com

Product Damaged During Transportation

If product is damaged during transportation contact Info Trac at 1-800-535-5053

Additional Products

Miracle Sealants Company offers a complete line of water & stain repellents, sealers, cleaner, polishing compounds, diamond abrasives, machinery and accessories for the tile, stone, concrete, metal, fabric and carpet professional or do-it yourself specialist.

Warranty

Instructions are a condensed guide and should not be considered complete. In the event of failure, the only obligation of Miracle Sealants Company shall be to replace such products proven to be defective. **Before using, user shall determine the suitability of the product for their intended use. User assumes all risks and liability whatsoever in connection therein.** Neither seller nor manufacturer shall be liable for any injury or inability to use this product.

Caution

Stone Polish contains combustible petroleum distillate. All solvents must be considered toxic and must be used in a well ventilated area. Good ventilation means that fresh air is flowing in such a way as to feel a slight breeze. Use open windows and fans to circulate air. Continue to ventilate until vapors are eliminated. Exposure to high vapor concentration must be avoided. Inhaling the vapors can be harmful. Keep away from heat and open flames. Avoid prolonged contact with skin. Chemical resistant gloves should be worn at all times. Keep small children and pets out of area until material has thoroughly dried. **Refer to the SDS for additional information.**