

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n 1/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P035BLISTO - P035BLISTO02L

Product name B-LISTO

UFI: VNY0-N0JV-200T-TPCQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Polishing cream with cleaning action for quartz, marble and natural stone

Identified Uses	Industrial	Professional	Consumer
Polisher, cleaner		ERC: 8c, 8f.	ERC: 8c, 8f.
		PROC: 10.	PC: 15, 31, 35.
		PC: 15, 31, 35.	LCS: C.
		LCS: PW	

1.3. Details of the supplier of the safety data sheet

Name

Full address

District and Country

Name

BELLINZONI S.R.L.

Via Mezzano 64

28069 Trecate (NO)

Italia

Tel. +39 0321 770558

e-mail address of the competent person

responsible for the Safety Data Sheet

Supplier:

laboratorio@bellinzoni.com

BELLINZONI S.r.I.

1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma - Piazza Sant`Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 CAP: 71122 Telefono: 800183459 – Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" Napoli Via A. Cardarelli, 9 CAP: 80131081-Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" Roma V.le del Policlinico, 155 CAP: 161 Telefono: 06-49978000 Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" Roma Largo Agostino Gemelli, 8 CAP: 168 Telefono: 06-3054343 Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze Largo Brambilla, 3 CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica Pavia Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda Milano Piazza Ospedale Maggiore,3 CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII Bergamo Piazza OMS, 1 CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona Verona Piazzale Aristide Stefani, 1 CAP: 37126 Telefono 800011858



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 2/22

Replaced revision:1 (Printed on: 20/07/2022)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin sensitization, category 1A H317 May cause an allergic skin reaction.

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects.

category 3

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

Precautionary

statements:

P102 Keep out of reach of children. P280 Wear protective gloves.

P302+P352 IF ON SKIN: wash with plenty of water

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P501 Dispose of the product / container in accordance with local / regional / national / international regulations.

Contains: 2-METHYL-2H-ISOTHIAZOL-3-ONE; 1,2-BENZISOTHIAZOL-3(2H)-ONE

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% Non-ionic surfactants 30% and more Aliphatic hydrocarbons

Preservation agents: 2-methyl-2H-isothiazol-3-one; 1,2-benzisothiazol-3(2H)-one; mixture of 5-chloro-2-methyl-2H- isothiazol-3-one (einecs 247-500-7) and 2-methyl-2H-isothiazol-3-one (einecs 220-239-6) (mixture of cmit/mit 3:1)

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 3/22

Replaced revision:1 (Printed on: 20/07/2022)

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

ALCOHOLS C16-C18,

ETHOXYLATES

INDEX 0,55 \leq x < 0,7 Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1

EC - STA Oral: 500 mg/kg

CAS 68439-49-6

2,2'-(OCTADEC-9-ENYLIMINO)BISETHANOL

INDEX - 0,55 ≤ x < 0,7 Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Chronic 1

H410 M=1

EC 246-807-3 LD50 Oral: 1260 mg/kg

CAS 25307-17-9

REACH Reg. 01-2119510876-35-

XXXX

1,2-BENZISOTHIAZOL-3(2H)-ONE

INDEX - $0 \le x < 0.05$ Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317,

Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 220-120-9 Skin Sens. 1 H317: ≥ 0,05% CAS 2634-33-5 LD50 Oral: 490 mg/kg bw

REACH Reg. 01-2120761540-60 **2-METHYL-2H-ISOTHIAZOL-3-ONE**

INDEX - 0,0

0,0015 ≤ x < 0.06

Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10,

Aquatic Chronic 1 H410 M=1, EUH071

EC 220-239-6 Skin Sens. 1A H317: ≥ 0,0015%

CAS 2682-20-4 LD50 Oral: 183 mg/kg, LD50 Dermal: 218 mg/kg, LC50 Inhalation

mists/powders: 0,11 mg/l/4h

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

REACH Reg. 01-2120764690-50

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n 4/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: aldehydes, products of incomplete combustion, carbon oxides

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 5/22

Replaced revision:1 (Printed on: 20/07/2022)

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

DEU

17.06.2021
17

CHE Suisse / Schweiz Valeurs limites d`exposition aux postes de travail: VME/VLE (SUVA). Grenzwerte am Arbeitsplatz: MAK

Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

MAK- und BAT-Werte-Liste Arbeitsstoffe, Mitteilung 56

LTU Lietuva Jsakymas dėl lietuvos higienos normos hn 23:2011 "cheminių medžiagų profesinio poveikio ribiniai dydžiai.

Matavimo ir poveikio vertinimo bendrieji reikalavimai"

patvirtinimo

LVA Latvija Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības

saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §) TLV-ACGIH ACGIH 2022

76011202

WHITE MINERAL O	IL						
Threshold Limit Va	lue						
Туре	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
TLV-ACGIH		5					
Health - Derived no-effect level - DNEL / DMEL							
	Effects on				Effects on		

Health - Derived no-effe	ect level - DNEL / D	MEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
Inhalation				34,78 mg/m3				164,56 mg/m3
Skin				93,02 mg/kg				217,05 mg/kg



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023
Page n. 6/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

2,2'-(OCTADEC-9-ENYLIMIN Predicted no-effect concentration	- PNEC							
Normal value in fresh water				0,000214	mg	1/I		
Normal value in marine water				0,0000214	mg	ı/l		
Normal value for fresh water sedir	ment			1,692	mg	ı/kg dw		
Normal value for marine water sec	diment			0,1692	mg	ı/kg dw		
Normal value for water, intermitter	nt release			0,00087	mg	ı/l		
Normal value of STP microorganis	sms			1,5	mg	ı/l		
Normal value for the food chain (s	econdary poisoni	ng)		2	mg	ı/kg		
Normal value for the terrestrial cor	mpartment			5	mg	ı/kg dw		
Health - Derived no-effect le	evel - DNEL / D Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 0,214 mg/kg		systemic		systemic
Inhalation				bw/d 0,745 mg/m3				2112 mg/m3
Skin				0,214 mg/kg				0,300 mg/kg
				bw/d				bw/d
ALCOHOLS C16-C18, ETHO Predicted no-effect concentration								
Normal value in fresh water				2845	μg,	/I		
Normal value in marine water				2,845	μg	/I		
Normal value for fresh water sedir	ment			68,3	mg	ı/kg/d		
Normal value for marine water sec	diment			68,3	mg	ı/kg/d		
Normal value for water, intermitted	nt release			0,1	mg	ı/l		
Normal value of STP microorganis	sms			1,4	mg	ı/l		
Normal value for the terrestrial con	mpartment			1	mg	ı/kg/d		
Health - Derived no-effect le		MEL			- " .			
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
nhalation				87 mg/m3				294 mg/m3
Skin				1250 mg/kg bw/d				2080 mg/kg bw/d
1,2-BENZISOTHIAZOL-3(2H)-ONE							
Predicted no-effect concentration								
Normal value in fresh water				4,03	μg	/I		
Normal value in marine water				403	ng/	/ I		
Normal value for fresh water sedir	ment			49,9	μg	/I		
	diment			4,99	μg	/kg		
Normal value for marine water sec								
Normal value for marine water sec Normal value for water, intermitter				1,1	μg	/I		



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 7/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
nhalation				1.2 mg/m3		6.81		6.81 mg/m3
Skin				345 µg/kg bw/d				966 µg/kg bw/d
2-METHYL-2H-ISOTHIA	ZOL-3-ONE							
Predicted no-effect concentr	ation - PNEC							
Normal value in fresh water				3,39	μg	/I		
Normal value in marine wate	r			3,39	μg,	/I		
Normal value for water, inter	mittent release			3,39	μg,	/I		
Normal value of STP microo	rganisms			230	μg,	/I		
Normal value for the terrestr	al compartment			47,1	μς	g/kg soil dw		
Health - Derived no-effe	ect level - DNEL / [MEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation	21 μg/m³		43 μg/m³		43 μg/m³	•	21 µg/m³	•
Skin		53 mg/kg bw/d		27 mg/kg bw/d				

MIXTURE OF 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE (EINECS 247-500-7) AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 220-239-6) (MIXTURE OF CMIT/MIT 3:1)

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	0,05				
MAK	CHE	0,2		0,4		INHAL
VME/VLE	CHE	0,2		0,4		INHAL
MAK	DEU	0,2		0,4		INHAL
Predicted no-effect co	ncentration - PNEC					
Normal value in fresh	water			0,00339	mg	/I
Normal value in marin	e water			0,00339	mg	/I
Normal value for fresh	water sediment			0,027	mg	/kg dw
Normal value for marir	ne water sediment			0,0027	mg	/kg dw
Normal value for water	r, intermittent release			0,00339	mg	/I
Normal value of STP r	microorganisms			0,23	mg	Л
Normal value for the te	errestrial compartment			0,01	mg	/kg dw
Health - Derived n	o-effect level - DNEL /	DMEL				
	Effects on				Effects on	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral						0,110 mg/kg		0,09 mg/kg
						bw/d		bw/d
Inhalation	0,004 mg/m3		0,002 mg/m3	•	0,004 mg/m3	•	0,002 mg/m3	•



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 8/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED =

medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear normal work clothes

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance Colour	Value cream white	Information Method:visual
Odour Melting point / freezing point Initial boiling point Flammability	odourless -5 °C > 100 °C not available	Method:own Method:own Method:own Method:own Remark:it does not contain substances classified as flammable
Lower explosive limit	not available	Reason for missing data:it does not contain substances classified as explosive
Upper explosive limit	not available	Reason for missing data:it does not contain substances classified as explosive



Revision nr. 2

Dated 20/09/2023 Printed on 20/09/2023

Page n 9/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

> 60 °C Remark:it does not contain substances classified as flammable Flash point Auto-ignition temperature not available

Reason for missing data: No explosive components or components

that ignite spontaneously in contact with

the air at room temperature

Decomposition temperature not available

 $9,00 \pm 0,50$ Method:own

instrument: METTLER TOLEDO SEVEN GO

electrode: METTLER TOLEDO InLab 413 SG / 2m IP67

2660 mm2/s Method:Calculation

g/cm3

Method:BROOKFIELD DV1 HA (spindle=3 / speed=50 / T=20°C)

Method:own

Reason for missing data: The product is a blend

Method:calculation Method:Own

Instrument: METTLER TOLEDO DENSITOPRO

Substance: WHITE MINERAL OIL

Kinematic viscosity Dynamic viscosity

2500 cP Solubility partially soluble in water

Partition coefficient: n-octanol/water not available 16,07 mmHg Vapour pressure

Density and/or relative density

0,90 - 1,00

Relative vapour density Particle characteristics

> 2 (air= 1) not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 45,00 % - 427,50 q/litre VOC (volatile carbon) 35,03 % - 332,78 g/litre

Explosive properties not explosive Remark:it does not contain substances classified as explosive Oxidising properties not oxidizing Remark:it does not contain substances classified as oxidizing

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected. Keep away from sources of heat, open flames, direct sunlight and any other source of ignition

10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents. This can lead to the development of noxious and flammable gases or vapors



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 10/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. High temperatures can lead to the development of noxious and flammable gases or vapors

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

WHITE MINERAL OIL

 LD50 (Dermal):
 > 2000 mg/kg rabbit

 LD50 (Oral):
 > 5000 mg/kg rat

 LC50 (Inhalation vapours):
 > 2000 mg/l/4h rat

2,2'-(OCTADEC-9-ENYLIMINO)BISETHANOL

LD50 (Oral): 1260 mg/kg rat

ALCOHOLS C16-C18, ETHOXYLATES

 LD50 (Dermal):
 2000 mg/kg bw rat

 LD50 (Oral):
 10000 mg/kg bw rat

 LC50 (Inhalation vapours):
 1,6 mg/l/4h rat

1,2-BENZISOTHIAZOL-3(2H)-ONE

LD50 (Dermal): > 5000 mg/kg bw Rat male, female. Method: OECD Test Guideline 402 LD50 (Oral): > 5000 mg/kg bw Rat male, female. Method: OECD Test Guideline 401



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 11/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

2-METHYL-2H-ISOTHIAZOL-3-ONE

LD50 (Dermal): LD50 (Oral):

LC50 (Inhalation mists/powders):

218 mg/kg Rabbit male. Method: calculation

183 mg/kg Rat, female

0,11 mg/l/4h Rat male, female. Method: OECD Test Guideline 403

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: 2660 mm2/s

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 12/22

Replaced revision:1 (Printed on: 20/07/2022)

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

2,2'-(OCTADEC-9-

ENYLIMINO)BISETHANOL

 LC50 - for Fish
 > 0,1 mg/l/96h

 EC50 - for Crustacea
 > 0,01 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 > 0,01 mg/l/72h

 EC10 for Crustacea
 > 0,001 mg/l/21d

 EC10 for Algae / Aquatic Plants
 > 0,01 mg/l/72h

1,2-BENZISOTHIAZOL-3(2H)-ONE

LC50 - for Fish 2,15 mg/l/96h Oncorhynchus mykiss. Method: OECD Test Guideline 203

EC50 - for Crustacea 2,9 mg/l/48h Daphnia magna. Method: OECD Test Guideline 202

EC50 - for Algae / Aquatic Plants 0,11 mg/l/72h Pseudokirchneriella subcapitata. Method: OECD Test Guideline

201

Chronic NOEC for Algae / Aquatic Plants 0,0403 mg/l Pseudokirchneriella subcapitata. Method: OECD Test Guideline

201

2-METHYL-2H-ISOTHIAZOL-3-ONE

LC50 - for Fish > 150 mg/l/96h Danio rerio EC50 - for Crustacea 0.87 µg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants 0,157 mg/l/72h Pseudokirchneriella subcapitata
Chronic NOEC for Algae / Aquatic Plants 0,0104 mg/l Pseudokirchneriella subcapitata

MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 247-500-7) AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 220-239-6) (MIXTURE OF CMIT/MIT 3:1)

LC50 - for Fish 0,22 mg/l/96h Onchorhyncus mykiss (OECD 203)

EC50 - for Crustacea 0,1 mg/l/48h Daphnia magna (OECD 202)

EC50 - for Algae / Aquatic Plants 0,048 mg/l/72h Pseudokirchneriella subcapitata (OECD201)

Chronic NOEC for Fish 0,098 mg/l Onchorhyncus mykiss (28 d OECD 215)
Chronic NOEC for Crustacea 0,004 mg/l Daphnia magna (21 d OECD 211)

Chronic NOEC for Algae / Aquatic Plants 0,0012 mg/l Pseudokirchneriella subcapitata (OECD 201)

ALCOHOLS C16-C18, ETHOXYLATES

 LC50 - for Fish
 108 mg/l/96h

 EC50 - for Crustacea
 51 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 100 mg/l/72h



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 13/22

Replaced revision:1 (Printed on: 20/07/2022)

WHITE MINERAL OIL

 LC50 - for Fish
 > 100 mg/l/96h

 EC50 - for Crustacea
 100 mg/l/48h Dafnie

 EC50 - for Algae / Aquatic Plants
 100 mg/l/72h

12.2. Persistence and degradability

2,2'-(OCTADEC-9-

ENYLIMINO)BISETHANOL

Solubility in water 5,9 mg/l 23°C

Rapidly degradable

1,2-BENZISOTHIAZOL-3(2H)-ONE

Solubility in water 1,288 g/l

Rapidly degradable

2-METHYL-2H-ISOTHIAZOL-3-ONE

Solubility in water 489 g/l

NOT rapidly degradable

MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 247-500-7) AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 220-239-6) (MIXTURE OF

CMIT/MIT 3:1)

Solubility in water 3000 g/l

Rapidly degradable

ALCOHOLS C16-C18, ETHOXYLATES

Solubility in water 0,039 mg/l 25°C

Rapidly degradable

WHITE MINERAL OIL Entirely degradable

12.3. Bioaccumulative potential

2,2'-(OCTADEC-9-

ENYLIMINO)BISETHANOL

Partition coefficient: n-octanol/water 3,4 Log Kow 25°C BCF 23,4 L/kg ww

1,2-BENZISOTHIAZOL-3(2H)-ONE

Partition coefficient: n-octanol/water 0,7 Log Kow Method: Regulation (EC) n. 440/2008, annex, A.8

BCF 6,62 Method: OECD Test Guideline 305

2-METHYL-2H-ISOTHIAZOL-3-ONE

Partition coefficient: n-octanol/water -0,32 Log Kow



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 14/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 247-500-7) AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 220-239-6) (MIXTURE OF

CMIT/MIT 3:1)

Partition coefficient: n-octanol/water < 0,71 OECD 117

BCF 3,16 Valore calcolato (S1177)

ALCOHOLS C16-C18, ETHOXYLATES

Partition coefficient: n-octanol/water 7,7 25°C

WHITE MINERAL OIL

Partition coefficient: n-octanol/water > 3,5 Log Kow

Bioaccumulation: Potentially bioaccumulative. However, metabolism or

physical properties may reduce bioconcentration or limit bioavailability.

12.4. Mobility in soil

WHITE MINERAL OIL

Mobility in Soil: This material has low solubility and is assumed to float and migrate from water to soil. It is assumed that it is divided into sediment and suspended solids in wastewater. Low potential for migration through the soil.

2,2'-(OCTADEC-9-

ENYLIMINO)BISETHANOL

Partition coefficient: soil/water 4,96

1,2-BENZISOTHIAZOL-3(2H)-ONE

Partition coefficient: soil/water 0,97

MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 247-500-7) AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (EINECS 220-239-6) (MIXTURE OF

CMIT/MIT 3:1)

Partition coefficient: soil/water 1,06 20°C - 0.3%

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

WHITE MINERAL OIL

It can form a film on the surface of the water, limiting the exchange of oxygen.



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 15/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 16/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.



B-LISTO

Revision nr. 2

Dated 20/09/2023
Printed on 20/09/2023

Page n. 17/22

Replaced revision:1 (Printed on: 20/07/2022)

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2 Acute toxicity, category 2
Acute Tox. 3 Acute toxicity, category 3
Acute Tox. 4 Acute toxicity, category 4
Skin Corr. 1B Skin corrosion, category 1B
Skin Corr. 1C Skin corrosion, category 1C
Eye Dam. 1 Serious eye damage, category 1

Skin Irrit. 2Skin irritation, category 2Skin Sens. 1Skin sensitization, category 1Skin Sens. 1ASkin sensitization, category 1A

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

Aquatic Chronic 4 Hazardous to the aquatic environment, chronic toxicity, category 4

H310 Fatal in contact with skin.

H330 Fatal if inhaled.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

EUH071 Corrosive to the respiratory tract.

EUH210 Safety data sheet available on request.

Use descriptor system:

ERC	8c	Widespread use leading to inclusion into/onto article (indoor)
ERC	8f	Widespread use leading to inclusion into/onto article (outdoor)
LCS	С	Consumer use
LCS	PW	Widespread use by professional workers
PC	15	Non-metal-surface treatment products
PC	31	Polishes and wax blends
PC	35	Washing and cleaning products
PROC	10	Roller application or brushing



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023 Page n. 18/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy



Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 19/22

Replaced revision:1 (Printed on: 20/07/2022)

B-LISTO

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified:

01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 15 / 16.



SUMI Safe Use of Mixtures Information





AISE_SUMI_PW_10_2

Version 1.1, August 2018

Professional uses; Brushing after trigger spraying or brushing with tools

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

General description of the process covered

This SUMI applies to professional uses where the product is brushed on a surface, with limited exposure to the hands, either after trigger spraying or through the use of tools such as a mop. ThisSafe Use Information is based on the AISE_SWED_PW_10_2.

Operational Conditions

Maximum duration	480 minutes per day.		
Range of application /	Indoor Use.		
Process conditions	Process carried out at room temperature		
	In case of dilution, tap water at a maximum temperature of 45°C is used.		
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.		

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation.	Wear suitable gloves. See section 8 of the SDS of this product for specifications.				
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.				
Environmental	Prevent that undiluted product reaches surface waters.				
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.				



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 21/22

Replaced revision:1 (Printed on: 20/07/2022)

Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



B-LISTO

Revision nr. 2

Dated 20/09/2023

Printed on 20/09/2023

Page n. 22/22

Replaced revision:1 (Printed on: 20/07/2022)

WORKING INSTRUCTIONS SHEET

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	Roller application or brushing [PROC10]
Product name	B-LISTO
Risks of the product as it is	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Handling of the product as it is	Handle the product after consulting all the other sections of this safety data sheet. Avoid the dispersion of the product in the environment. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas.
PPE required for the product as it is (transfer, concentrated use)	Protect hands with category III work gloves (see standard EN 374). Wear normal work clothes
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section section 1.4 SDS
In case of accidental spillage of large quantities In concentrated form	Wear gloves, goggles and protective clothing (for specifics refer to section 8.2. Of the SDS). Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS.
Product storage	Keep only in the original container. Keep the containers closed, in a well-ventilated place, away from direct sunlight. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS