

Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n 1/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

## **Safety Data Sheet**

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

 Code:
 P1003TOP - P1003TOP07L

 Product name
 B-3 ACTION TOP

 UFI:
 Y8J0-P0VX-900M-MEFN

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Detergent, protective, polishing for TOP in marble, granite, natural stone, marble-resin, quartz resin

Identified Uses	Industrial	Professional	Consumer	
Detergent, protective, polishing	-	ERC: 8c, 8f.	ERC: 8c, 8f.	
2 storgorn, protocure, penerung		PROC: 11.	PC: 15, 31, 35.	
		PC: 15. 31. 35.	LCS: C.	
		LCS: PW		

#### 1.3. Details of the supplier of the safety data sheet

Name
BELLINZONI S.R.L.
Full address
District and Country
District and Country
BELLINZONI S.R.L.
Via Mezzano 64
28069 Trecate (NO)
Italia
Tel. +39 0321 770558

e-mail address of the competent person

responsible for the Safety Data Sheet

Supplier:

laboratorio@bellinzoni.com

BELLINZONI S.r.I.

#### 1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma - Piazza Sant`Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 CAP: 71122 Telefono: 800183459 – Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" Napoli Via A. Cardarelli, 9 CAP: 80131081-Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" Roma V.le del Policlinico, 155 CAP: 161 Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" Roma Largo Agostino Gemelli, 8 CAP: 168 -Telefono: 06-3054343 - Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze Largo Brambilla, 3 CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica Pavia Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda Milano Piazza Ospedale Maggiore,3 CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII Bergamo Piazza OMS, 1 CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona Verona Piazzale Aristide Stefani, 1 -CAP: 37126 - Telefono 800011858 - Responsabile: Giorgio Ricci



Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n. 2/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

#### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin sensitization, category 1

H317

May cause an allergic skin reaction.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H317 May cause an allergic skin reaction. **EUH210** Safety data sheet available on request.

Precautionary statements:

P102 Keep out of reach of children. P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

**Contains:** 2-METHYL-4-ISOTHIAZOLIN-3-ONE

1,2-BENZISOTHIAZOL-3(2H)-ONE

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% non-ionic surfactants

Preservation agents: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-2H-isothiazol-3-one

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%. The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.



Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n 3/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

## **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification Classification (EC) 1272/2008 (CLP) x = Conc. %

**DIPROPYLENE GLYCOL** 

MONOMETHYL ETHER

INDEX  $4 \le x < 5$ Substance with a community workplace exposure limit.

EC 252-104-2 CAS 34590-94-8

REACH Reg. 01-2119450011-60

1-BUTOXY-PROPAN-2-OL

INDEX 603-052-00-8  $3 \le x < 4$ Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC 225-878-4 CAS 5131-66-8

EC 220-239-6

REACH Reg. 01-2119475527-28

2-METHYL-4-ISOTHIAZOLIN-3-

ONE

Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 INDFX - $0.0015 \le x <$ 

0.06 H318, STOT SE 3 H335, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10,

Aquatic Chronic 1 H410 M=1 Skin Sens. 1 H317: ≥ 0,0015%

CAS 2682-20-4 LD50 Oral: 120 mg/kg bw, LD50 Dermal: 242 mg/kg bw

REACH Reg. 01-2120764690-50 1,2-BENZISOTHIAZOL-3(2H)-ONE

INDEX - $0 \le x < 0.05$ 

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317,

Aquatic Acute 1 H400 M=1 EC 220-120-9 Skin Sens. 1 H317: ≥ 0,05% CAS 2634-33-5 LD50 Oral: 490 mg/kg bw

REACH Reg. 01-2120761540-60

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 4/22

Replaced revision:1 (Printed on: 14/03/2022)

#### **B-3 ACTION TOP**

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.



Revision nr. 1

Dated 14/03/2022
Printed on 28/11/2022

Page n. 5/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ,

#### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

България

Regulatory References:

**BGR** 

	·	СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.  MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher  Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/A` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006



Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n. 6/22

Replaced revision:1 (Printed on: 14/03/2022)

**B-3 ACTION TOP** 

Sverige Slovensko

Slovenija

SWE

SVK

SVN

GBR

ΕU

Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS

NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov

Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 –

ZVZD-1, 38/15, 78/18 in 78/19)

EH40/2005 Workplace exposure limits (Fourth Edition 2020) United Kingdom OEL EU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

DIPROPYLENE GLYO Threshold Limit Value		ETHER						
Туре	Country	TWA/8h		STEL/15min		Remarks Observat		
		mg/m3	ppm	mg/m3	ppm			
TLV	BGR	308	50			SKIN		
TLV	CZE	270	47,34	550	89,1	SKIN		
AGW	DEU	310	50	310	50			
MAK	DEU	310	50	310	50			
VLA	ESP	308	50			SKIN		
VLEP	FRA	308	50			SKIN		
TLV	GRC	600	10	900	150			
AK	HUN	308						
VLEP	ITA	308	50			SKIN		
TLV	NOR	300	50			SKIN		
TGG	NLD	300						
VLE	PRT	308	50			SKIN		
NDS/NDSCh	POL	240		480		SKIN		
TLV	ROU	308	50			SKIN		
NGV/KGV	SWE	300	50	450 (C)	75 (C)	SKIN		
NPEL	SVK	908	50			SKIN		
MV	SVN	308	50			SKIN		
WEL	GBR	308	50			SKIN		
OEL	EU	308	50			SKIN		
Predicted no-effect conce	entration - PNEC							
Normal value in fresh wat	ter			19	mg/	/1		
Normal value in marine w	vater			1,9	mg/	/1		
Normal value for fresh wa	ater sediment			70,2	mg/	/kg		
Normal value for marine v	water sediment			7,02	mg/	/kg		
Normal value for the terre	estrial compartment			274	mg/	/kg		
Health - Derived no-e	·	DMEL			_			
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation				3.2 mg/m3		•		310 mg/m3
Skin				15 mg/kg bw/d				65 mg/kg bw/d



Revision nr. 1

Dated 14/03/2022
Printed on 28/11/2022

Page n. 7/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

Threshold Limit Value Type	Country	TWA/8h		STEL/15min		Remarks		
		mg/m3	ppm	mg/m3	ppm	Observa	itions	
OEL	EU		50					
Predicted no-effect concentra	tion - PNEC							
Normal value in fresh water				0,525	mg	/I		
Normal value in marine water				0,0525	mg	/I		
Normal value for fresh water s	sediment			2,36	mg	/kg dw		
Normal value for marine water	r sediment			0,236	mg	/kg dw		
Normal value for water, interm	nittent release			5,25	mg	/I		
Normal value of STP microorg	ganisms			10	mg	/I		
Normal value for the terrestria	al compartment			0,16	mg	/kg dw		
Health - Derived no-effec	ct level - DNEL / I Effects on consumers	OMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				12,5 mg/kg bw/d		Systemic		Systemic
Inhalation				43 mg/m3				147 mg/m3
Skin				22 mg/kg				52 mg/kg
ETHOXYLATED TRIDEC		ED WITH 5- <7 E0	<b>)</b>	bw/d				bw/d
ETHOXYLATED TRIDEC		ED WITH 5- <7 EG	<u> </u>	bw/d				bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water	tion - PNEC	ED WITH 5- <7 E0	0	0,074	mg			bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water	tion - PNEC	ED WITH 5- <7 E0	0	0,074	mg	/I		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s	tion - PNEC	ED WITH 5- <7 EC	0	0,074 0,0074 0,604	mg	/l /kg dw		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate	sediment	ED WITH 5- <7 E0	<b>D</b>	0,074 0,0074 0,604 0,0604	mg mg	/l /kg dw /kg dw		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm	sediment or sediment nittent release	ED WITH 5- <7 EC		0,074 0,0074 0,604 0,0604 0,015	mg mg mg	/l /kg dw /kg dw		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg	sediment or sediment nittent release ganisms	ED WITH 5- <7 E0		0,074 0,0074 0,604 0,0604 0,015 1,4	mg mg mg mg	/l /kg dw /kg dw /l		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microore Normal value for the terrestria	sediment or sediment nittent release ganisms al compartment			0,074 0,0074 0,604 0,0604 0,015	mg mg mg mg	/l /kg dw /kg dw		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect	sediment or sediment nittent release ganisms al compartment			0,074 0,0074 0,604 0,0604 0,015 1,4	mg mg mg mg	/l /kg dw /kg dw /l		bw/d
ETHOXYLATED TRIDEC Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect	sediment or sediment nittent release ganisms al compartment ct level - DNEL / E		Chronic local	0,074 0,0074 0,604 0,0604 0,015 1,4 0,1	mg mg mg mg mg mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microors Normal value for the terrestria Health - Derived no-effect Route of exposure	sediment or sediment nittent release ganisms al compartment ct level - DNEL / E Effects on consumers	DMEL		0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg	mg	/l //kg dw //kg dw // // // // // //kg dw	Chronic local	
ETHOXYLATED TRIDEC Predicted no-effect concentration Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine water Normal value for water, interm Normal value of STP microorg Normal value for the terrestriate Health - Derived no-effect Route of exposure Oral	sediment or sediment nittent release ganisms al compartment ct level - DNEL / E Effects on consumers	DMEL		0,074 0,0074 0,604 0,0604 0,015 1,4 0,1	mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic systemic
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm	sediment or sediment nittent release ganisms al compartment ct level - DNEL / E Effects on consumers	DMEL		0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3 1250 mg/kg	mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic systemic  294 mg/m3  2080 mg/kg
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect Route of exposure Oral Inhalation	sediment or sediment nittent release ganisms al compartment ct level - DNEL / E Effects on consumers	DMEL		0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3	mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic systemic
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect Route of exposure Oral Inhalation Skin	sediment or sediment nittent release ganisms al compartment ct level - DNEL / I Effects on consumers Acute local	DMEL  Acute systemic	Chronic local	0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3 1250 mg/kg bw/d	mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic systemic  294 mg/m3  2080 mg/k;
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine water Normal value for water, interm Normal value of STP microors Normal value for the terrestria Health - Derived no-effect Route of exposure Oral Inhalation Skin	sediment or sediment nittent release ganisms al compartment ct level - DNEL / L Effects on consumers Acute local	DMEL  Acute systemic	Chronic local	0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3 1250 mg/kg bw/d	mg	// //kg dw //kg dw // // // // // // // Acute	Chronic local	Chronic systemic  294 mg/m3  2080 mg/kg
ETHOXYLATED TRIDEC Predicted no-effect concentral Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine water Normal value for water, interm Normal value of STP microorg Normal value for the terrestrial Health - Derived no-effect Route of exposure Oral Inhalation Skin  2- [METHYL [(NONAFLU) Predicted no-effect concentral	sediment or sediment nittent release ganisms al compartment ct level - DNEL / L Effects on consumers Acute local	DMEL  Acute systemic	Chronic local	0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3 1250 mg/kg bw/d	mg	// //kg dw //kg dw // // // // // // // // // // // // //	Chronic local	Chronic systemic  294 mg/m3  2080 mg/kg
ETHOXYLATED TRIDEC Predicted no-effect concentra Normal value in fresh water Normal value in marine water Normal value for fresh water s Normal value for marine wate Normal value for water, interm Normal value of STP microorg Normal value for the terrestria Health - Derived no-effect Route of exposure Oral Inhalation	sediment or sedime	DMEL  Acute systemic	Chronic local	0,074 0,0074 0,604 0,0604 0,015 1,4 0,1  Chronic systemic 25 mg/kg bw/d 87 mg/m3 1250 mg/kg bw/d THYL	mg mg mg mg mg mg mg contact and a contact a	// //kg dw //kg dw // // // // //kg dw  Acute systemic	Chronic local	Chronic systemic 294 mg/m3 2080 mg/kg



Revision nr. 1

Dated 14/03/2022
Printed on 28/11/2022

Page n. 8/22

Replaced revision:1 (Printed on: 14/03/2022)

**B-3 ACTION TOP** 

Normal value for marine water sediment	36,8	μg/kg	
Normal value for water, intermittent release	3,2	ng/l	
Normal value of STP microorganisms	100	mg/l	
Normal value for the terrestrial compartment	81,3	μg/kg	

Tromai raido foi uno torrocui	iai comparamoni			0.,0	۳۶	9		
Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Skin								1 mg/kg bw/d

2-DIMETHYLAMINOETHYL METHACRYLATE			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,087	mg/l	
Normal value in marine water	0,0087	mg/l	
Normal value for fresh water sediment	0,483	mg/kg	
Normal value for marine water sediment	0,0483	mg/kg	
Normal value for water, intermittent release	0,191	mg/l	
Normal value of STP microorganisms	210	mg/l	
Normal value for the terrestrial compartment	45,4	mg/kg	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation			4 mg/m3	4 mg/m3	321 mg/m3		27 mg/m3	27 mg/m3
Skin	128,5 mg/cm2			25 mg/kg/d				41,7 mg/kg bw/d

2-METHYL-4-ISOTHIAZOLIN-3-ONE			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	3,39	μg/l	
Normal value in marine water	3,39	μg/l	
Normal value for water, intermittent release	3,39	μg/l	
Normal value of STP microorganisms	230	μg/l	
Normal value for the terrestrial compartment	47,1	μg/kg soil dw	

Health - Derived no-eff	fect level - DNEL / [	OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation	21 μg/m³		43 μg/m³		43 μg/m³		21 μg/m³	
Skin		53 mg/kg bw/d		27 mg/kg bw/d				

1,2-BENZISOTHIAZOL-3(2H)-ONE Predicted no-effect concentration - PNEC			
Normal value in fresh water	4,03	μg/l	
Normal value in marine water	403	ng/l	
Normal value for fresh water sediment	49,9	μg/l	



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n 9/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

Normal value for marine water sediment	4,99	μg/kg
Normal value for water, intermittent release	1,1	μg/l
	•	
Normal value of STP microorganisms	1,03	mg/l
	,	v
Normal value for the terrestrial compartment	3	mg/kg soil dw

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation				1.2 mg/m3		6.81		6.81 mg/m3
Skin				345 µg/kg				966 µg/kg
				bw/d				bw/d

#### Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear normal work clothes

#### **EYE PROTECTION**

None required.

#### RESPIRATORY PROTECTION


If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 10/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

## **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance Colour	liquid white	Method:visual
Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit	solvent < -5 °C 171 °C not flammable not available	Method:own Method:own Substance:1-BUTOXY-PROPAN-2-OL Remark:it does not contain substances classified as flammable Concentration: 1,1 % Substance:1-BUTOXY-PROPAN-2-OL
Upper explosive limit	not available	Concentration: 8,4 % Substance:1-BUTOXY-PROPAN-2-OL
Flash point Auto-ignition temperature Decomposition temperature	> 60 °C 260 °C not available	Reason for missing data:it does not contain substances classified as explosive Remark:it does not contain substances classified as flammable Substance:1-BUTOXY-PROPAN-2-OL
рН	5,50 ± 0,50	Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67
Kinematic viscosity Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density	5,0 mm2/s 5,0 cP miscible in water in any ratio not applicable 17,30 mmHg 1,00 - 1,05 g/cm3	Method:Calculation Method:BROOKFIELD DV1 LV ( spindle=1 / speed=100 / T=20°C ) Method:own Reason for missing data:The product is a blend Method:calculation Method:Own Instrument: METTLER TOLEDO DENSITOPRO
Relative vapour density	not available	Institution. WETTER TOLLDO DENSITORRO
Particle characteristics	not applicable	

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Information not available

#### 9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 7,83 % - 78,27 g/litre VOC (volatile carbon) 5,04 % - 50,36 g/litre

Explosive properties not explosive Remark:it does not contain substances classified as explosive Oxidising properties not oxidizing Remark:it does not contain substances classified as oxidizing



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 11/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

Reactions with: strong oxidizing agents, strong acids

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

#### 10.5. Incompatible materials

Strong oxidants, Strong acids

#### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

## **SECTION 11. Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

#### **ACUTE TOXICITY**

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 12/22

Replaced revision:1 (Printed on: 14/03/2022)

#### **B-3 ACTION TOP**

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

LD50 (Dermal): > 19020 mg/kg coniglio LD50 (Oral): > 5000 mg/kg ratto

LC50 (Inhalation vapours): > 275 ppm/7h ratto

1-BUTOXY-PROPAN-2-OL

 LD50 (Dermal):
 2000 mg/kg rat

 LD50 (Oral):
 3300 mg/kg bw rat

 LC50 (Inhalation vapours):
 > 651 ppm/4h rat

2-METHYL-4-ISOTHIAZOLIN-3-ONE

LD50 (Dermal): 242 mg/kg bw LD50 (Oral): 120 mg/kg bw LC50 (Inhalation vapours): 340  $\mu$ g/m³

1,2-BENZISOTHIAZOL-3(2H)-ONE

LD50 (Dermal): 2000 mg/kg bw ratto LD50 (Oral): 490 mg/kg bw ratto

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 13/22

Replaced revision:1 (Printed on: 14/03/2022)

#### **B-3 ACTION TOP**

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## **SECTION 12. Ecological information**

#### 12.1. Toxicity

#### 1,2-BENZISOTHIAZOL-3(2H)-ONE

LC50 - for Fish 2,15 mg/l/4d EC50 - for Crustacea 29 mg/l/48h EC50 - for Algae / Aquatic Plants 110  $\mu$ g/l Chronic NOEC for Algae / Aquatic Plants 40,3  $\mu$ g/l

## 2-METHYL-4-ISOTHIAZOLIN-3-ONE

LC50 - for Fish 4,77 mg/l/96h freshwater fish

EC50 - for Crustacea 934 µg/l/48h freshwater invertebrates

 $EC50 - for Algae / Aquatic Plants \\ EC10 for Algae / Aquatic Plants \\ 50,3 \ \mu g/l \ freshwater \ algae \\$ 

Chronic NOEC for Fish 4,93 mg/l

Chronic NOEC for Crustacea 44,2 µg/l freshwater invertebrates

Chronic NOEC for Algae / Aquatic Plants 50,3 µg/l freshwater algae

## DIPROPYLENE GLYCOL MONOMETHYL

ETHER

LC50 - for Fish > 1000 mg/l/96h poecilia reticulata EC50 - for Crustacea 1919 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants > 969 mg/l/72h Selenastrum capricornutum

### 1-BUTOXY-PROPAN-2-OL

LC50 - for Fish 560 mg/l/96h poecilia reticulata
EC50 - for Crustacea > 1000 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants > 1000 mg/l/72h pseudokirchneriella subcapitata

#### 12.2. Persistence and degradability

1,2-BENZISOTHIAZOL-3(2H)-ONE

Solubility in water 1,288 g/l

NOT rapidly degradable



Revision nr. 1

Dated 14/03/2022
Printed on 28/11/2022

Page n. 14/22

Replaced revision:1 (Printed on: 14/03/2022)

**B-3 ACTION TOP** 

2-METHYL-4-ISOTHIAZOLIN-3-ONE

Solubility in water 489 g/l

Degradability: information not available

DIPROPYLENE GLYCOL MONOMETHYL

ETHER

Solubility in water 1000 mg/l

Rapidly degradable

1-BUTOXY-PROPAN-2-OL

Solubility in water 55 g/l

Rapidly degradable

12.3. Bioaccumulative potential

1,2-BENZISOTHIAZOL-3(2H)-ONE

Partition coefficient: n-octanol/water 0,7 BCF 6,62

2-METHYL-4-ISOTHIAZOLIN-3-ONE

Partition coefficient: n-octanol/water -0,486

DIPROPYLENE GLYCOL MONOMETHYL

**ETHER** 

Partition coefficient: n-octanol/water 0,004

1-BUTOXY-PROPAN-2-OL

Partition coefficient: n-octanol/water 1,2

12.4. Mobility in soil

1,2-BENZISOTHIAZOL-3(2H)-ONE

Partition coefficient: soil/water 0,97

1-BUTOXY-PROPAN-2-OL

Partition coefficient: soil/water 0,11

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 15/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

12.7. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number or ID number

not applicable

#### 14.2. UN proper shipping name

not applicable

#### 14.3. Transport hazard class(es)

not applicable

#### 14.4. Packing group

not applicable

## 14.5. Environmental hazards

not applicable

### 14.6. Special precautions for user

not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 16/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

## **SECTION 15. Regulatory information**

15.1.	. Safetv.	health	and	environm	ental r	egulation	ns/leais	lation	specific	for the	substance	e or n	nixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

**Product** 

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.



Revision nr. 1

Dated 14/03/2022
Printed on 28/11/2022

Page n. 17/22

Replaced revision:1 (Printed on: 14/03/2022)

### **B-3 ACTION TOP**

#### 15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

DIPROPYLENE GLYCOL MONOMETHYL ETHER

1-BUTOXY-PROPAN-2-OL

2-METHYL-4-ISOTHIAZOLIN-3-ONE

1,2-BENZISOTHIAZOL-3(2H)-ONE

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3 Acute toxicity, category 3

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1 Skin sensitization, category 1

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.H317 May cause an allergic skin reaction.

**H400** Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**EUH210** Safety data sheet available on request.

## Use descriptor system:

ERC ERC LCS	8c 8f C	Widespread use leading to inclusion into/onto article (indoor) Widespread use leading to inclusion into/onto article (outdoor) Consumer use
LCS PC	PW 15	Widespread use by professional workers  Non-metal-surface treatment products
PC	31	Polishes and wax blends
PC PROC	35 11	Washing and cleaning products Non industrial spraying



Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n 18/22

Replaced revision:1 (Printed on: 14/03/2022)

#### **B-3 ACTION TOP**

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP) 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy



Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n. 19/22

Replaced revision:1 (Printed on: 14/03/2022)

#### **B-3 ACTION TOP**

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.



**B-3 ACTION TOP** 

Revision nr. 1

Dated 14/03/2022 Printed on 28/11/2022

Page n. 20/22

Replaced revision:1 (Printed on: 14/03/2022)

## SUMI Safe Use of Mixtures Information





## AISE\_SUMI\_PW\_11\_2

Version 1.1, August 2018

Professional uses; (Trigger) spraying

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.

## General description of the process covered

This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the AISE\_SWED\_PW\_11\_2.

### **Operational Conditions**

Maximum duration	60 minutes per day.		
Range of application /	Indoor Use.		
Process conditions	Process carried out at room temperature		
	In case of dilution, tap water at a maximum temperature of 45°C is used.		
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.		

## **Risk Management Measures**

Measures related to personal protective equipment (PPE), hygiene and health evaluation.	Wear suitable gloves. See section 8 of the SDS of this product for specifications.				
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.				
Environmental	Prevent that undiluted product reaches surface waters.				
measures	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.				



Revision nr. 1

Dated 14/03/2022

Printed on 28/11/2022

Page n. 21/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



Dated 14/03/2022

Revision nr. 1

Printed on 28/11/2022

Page n. 22/22

Replaced revision:1 (Printed on: 14/03/2022)

## **B-3 ACTION TOP**

# **WORKING INSTRUCTIONS SHEET**

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	Non industrial spraying [ PROC11 ]
Product name	B-3 ACTION TOP
Risks of the product as it is	H317 May cause an allergic skin reaction
Handling of the product as it is	Keep away from heat, sparks and open flames, do not smoke or use matches or lighters. Without adequate ventilation, vapors can accumulate on the ground and catch fire even at a distance, if triggered, with the risk of backfire. Avoid the accumulation of electrostatic charges. Do not eat, drink or smoke during use. Remove contaminated clothing and protective equipment before entering eating areas. Avoid the dispersion of the product in the environment.
PPE required For product as it is	Protect hands with category III work gloves (see standard EN 374). Wear normal work clothes None required.
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS
In case of accidental spillage of large quantities of the product as it is	Wear suitable protective equipment (including personal protective equipment referred to in section 8 of the SDS) to prevent contamination of skin, eyes and personal clothing. Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS
Product storage	Keep only in the original container. Store in a cool and well-ventilated place, away from heat sources, open flames, sparks and other sources of ignition. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS