

**BELLINZONI S.R.L.**

Revision nr. 2

Dated 07/08/2023

Printed on 07/08/2023

Page n. 1/21

Replaced revision:1 (Printed on: 29/11/2022)

B-3 ACTION DOCCIA

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P1053DO - P1053DO07L
Product name: B-3 ACTION DOCCIA
UFI: VQX0-20YG-Q00C-JWY0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Acid descaler, detergent, sanitizer, protective for cleaning shower boxes and taps

Identified Uses	Industrial	Professional	Consumer
Acid descaler, detergent, sanitizer, protective	-	ERC: 8a. PROC: 11. PC: 35. LCS: PW.	ERC: 8a. PC: 35. LCS: C. .

1.3. Details of the supplier of the safety data sheet

Name: BELLINZONI S.R.L.
Full address: Via Mezzano 64
District and Country: 28069 Trecate (NO)
Italy
Tel. +39 0321 770558

e-mail address of the competent person


responsible for the Safety Data Sheet
Supplier:

laboratorio@bellinzoni.com
BELLINZONI S.r.l.

1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA – Roma - Piazza Sant' Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia – Foggia - V.le Luigi Pinto, 1 – CAP: 71122 – Telefono: 800183459 – Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" – Napoli - Via A. Cardarelli, 9 – CAP: 80131081- Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" - Roma - V.le del Policlinico, 155 – CAP: 161 – Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" - Roma - Largo Agostino Gemelli, 8 – CAP: 168 – Telefono: 06-3054343 – Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica – Firenze - Largo Brambilla, 3 – CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica - Pavia – Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda – Milano - Piazza Ospedale Maggiore, 3 – CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII – Bergamo - Piazza OMS, 1 – CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona – Verona - Piazzale Aristide Stefani, 1 – CAP: 37126 – Telefono 800011858

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 2/21 Replaced revision:1 (Printed on: 29/11/2022)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319	Causes serious eye irritation.
H315	Causes skin irritation.
EUH210	Safety data sheet available on request.
EUH208	Contains: ALPHA HEXYLCINNAMALDEHYDE May produce an allergic reaction.

Precautionary statements:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash your hands thoroughly with water after use.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice / attention.
P501	Dispose of the product / container in accordance with local / regional / national / international regulations.

Ingredients according to Regulation (EC) No. 648/2004


Less than 5%	Cationic surfactants, Non-ionic surfactants
--------------	---

Perfume (Limonene, Benzyl Salicilate, Hexyl Cinnamaldehyde). Dye

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 3/21 Replaced revision:1 (Printed on: 29/11/2022)

SECTION 3. Composition/information on ingredients

3.1. Substances


Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
CITRIC ACID MONOHYDRATE		
INDEX -	$7 \leq x < 8$	Eye Irrit. 2 H319, STOT SE 3 H335
EC 201-069-1		
CAS 5949-29-1		
REACH Reg. 01-2119457026-42		
METHANESULPHONIC ACID		
INDEX 607-145-00-4	$2 \leq x < 3$	Met. Corr. 1 H290, Acute Tox. 4 H302, Acute Tox. 4 H312, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335 LD50 Oral: 649 mg/kg ratto, LD50 Dermal: 1000 mg/kg coniglio
EC 200-898-6		
CAS 75-75-2		
REACH Reg. 01-2119491166-34		
AMMINE, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES		
INDEX -	$0,25 \leq x < 0,4$	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411 LD50 Oral: 1064 mg/kg
EC 931-292-6		
CAS 308062-28-4		
REACH Reg. 01-2119490061-47-0000		
QUATERNARY AMMONIUM COMPOUNDS, BENZYL C12-C16 (EVEN NUMBERED)-ALKYLDIMETHYL CHLORIDES		
INDEX -	$0,1 \leq x < 0,25$	Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1 LD50 Oral: 397,5 mg/kg
EC 939-253-5		
CAS -		
REACH Reg. 01-2119965180-41-0001		
ALPHA HEXYLCINNAMALDEHYDE		
INDEX -	$0,1 \leq x < 0,25$	Skin Sens. 1B H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 639-566-4		
CAS 165184-98-5		
REACH Reg. 01-2119533092-50		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 4/21 Replaced revision:1 (Printed on: 29/11/2022)

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures


6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 5/21 Replaced revision:1 (Printed on: 29/11/2022)

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Protect from temperatures above 60 ° C

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)


Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
LTU	Lietuva	Jsakymas dėl lietuvos higienos normos hn 23:2011 „cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai“ patvirtinimo
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVN	TLV-ACGIH RCP TLV	ACGIH 2022 ACGIH TLVs and BEIs – Appendix H

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 6/21 Replaced revision:1 (Printed on: 29/11/2022)

CITRIC ACID MONOHYDRATE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
RCP TLV		10				INHAL
Predicted no-effect concentration - PNEC						
Normal value in fresh water				0,44	mg/l	
Normal value in marine water				0,04	mg/l	
Normal value for fresh water sediment				34,6	mg/kg dw	
Normal value for marine water sediment				3,46	mg/kg dw	
Normal value of STP microorganisms				1000	mg/l	
Normal value for the terrestrial compartment				33,1	mg/kg dw	

METHANESULPHONIC ACID


Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	0,7		0,7		11
MV	SVN	0,7		0,7		
Predicted no-effect concentration - PNEC						
Normal value in fresh water				0,012	mg/l	
Normal value in marine water				0,0012	mg/l	
Normal value for fresh water sediment				0,0251	mg/kg/d	
Normal value for marine water sediment				0,0251	mg/kg/d	
Normal value for water, intermittent release				0,12	mg/l	
Normal value of STP microorganisms				100	mg/l	
Normal value for the terrestrial compartment				0,00183	mg/kg/d	

Health - Derived no-effect level - DNEL / DMEL								
Effects on consumers				Effects on workers				
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				8,33 mg/kg bw/d				
Inhalation			0,42 mg/m3	1,44 mg/m3			0,7 mg/m3	6,76 mg/m3
Skin						8.33 mg/kg bw/d		19,44 mg/kg bw/d

AMMINE, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES

Predicted no-effect concentration - PNEC						
Normal value in fresh water				0,034	mg/l	
Normal value in marine water				0,003	mg/l	
Normal value for fresh water sediment				5,24	mg/kg	
Normal value for marine water sediment				0,524	mg/kg	
Normal value for water, intermittent release				0,034	mg/l	
Normal value of STP microorganisms				24	mg/l	

	BELLINZONI S.R.L.					Revision nr. 2		
	B-3 ACTION DOCCIA					Dated 07/08/2023 Printed on 07/08/2023 Page n. 7/21 Replaced revision:1 (Printed on: 29/11/2022)		


Normal value for the food chain (secondary poisoning)		11,1		mg/kg				
Normal value for the terrestrial compartment		1,02		mg/kg				
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			0,44 mg/kg bw/d					
Inhalation			1,53 mg/m3				6,2 mg/m3	
Skin			5,5 mg/kg bw/d				11 mg/kg bw/d	

QUATERNARY AMMONIUM COMPOUNDS, BENZYL C12-C16 (EVEN NUMBERED)-ALKYLDIMETHYL CHLORIDES					
Predicted no-effect concentration - PNEC					
Normal value in fresh water		900		ng/l	
Normal value in marine water		960		ng/l	
Normal value for fresh water sediment		12,27		mg/kg dw	
Normal value for marine water sediment		1309		mg/kg dw	
Normal value for water, intermittent release		160		ng/l	
Normal value of STP microorganisms		400		µg/l	
Normal value for the terrestrial compartment		7		mg/kg dw	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			3,4 mg/kg bw/d					
Inhalation			1,64 mg/m3				3,96 mg/m3	
Skin			3,4 mg/kg bw/d				5,7 mg/kg bw/d	

ALPHA HEXYLCINNAMALDEHYDE					
Predicted no-effect concentration - PNEC					
Normal value in fresh water		0,00126		mg/l	
Normal value in marine water		0,000126		mg/l	
Normal value for fresh water sediment		3,2		mg/kg dw	
Normal value for marine water sediment		0,064		mg/kg dw	
Normal value for water, intermittent release		0,00247		mg/l	
Normal value of STP microorganisms		10		mg/l	
Normal value for the food chain (secondary poisoning)		6,6		mg/kg	
Normal value for the terrestrial compartment		0,398		mg/kg dw	

Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			0,056 mg/kg bw/d					
Inhalation			4,71 mg/m3	0,019 mg/m3			6,28 mg/m3	0,078 mg/m3
Skin	0,0787 mg/cm2		0,0787 mg/cm2	9,11 mg/kg bw/d	0,525 mg/cm2		0,525 mg/cm2	18,2 mg/kg bw/d

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 8/21 Replaced revision:1 (Printed on: 29/11/2022)

DIPENTENE					
Threshold Limit Value					
Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
RD	LTU	150	25	300	50
TLV	NOR	140	25		
NGV/KGV	SWE	150	25	300 (C)	50 (C)

BENZYL SALICYLATE								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,00103	mg/l			
Normal value in marine water				0,000103	mg/l			
Normal value for fresh water sediment				0,583	mg/kg dw			
Normal value for marine water sediment				0,0583	mg/kg dw			
Normal value for water, intermittent release				0,0103	mg/l			
Normal value of STP microorganisms				10	mg/l			
Normal value for the food chain (secondary poisoning)				0,0527	mg/kg food			
Normal value for the terrestrial compartment				1,41	mg/kg dw			
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			Chronic systemic
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	
Oral				0,790 mg/kg bw/d				
Inhalation				1,37 mg/m3				7,8 mg/m3
Skin				0,790 mg/kg bw/d				2,21 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.


Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 9/21 Replaced revision:1 (Printed on: 29/11/2022)

SKIN PROTECTION

Wear normal work clothes

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.


ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	Method:visual
Colour	blue	
Odour	fresh	Method:own
Melting point / freezing point	< -5 °C	Method:own
Initial boiling point	> 98 °C	Method:own
Flammability	not flammable	
Lower explosive limit	not available	Reason for missing data:it does not contain substances classified as explosive
Upper explosive limit	not available	Reason for missing data:it does not contain substances classified as explosive
Flash point	> 60 °C	
Auto-ignition temperature	not available	Reason for missing data:No explosive components or components that ignite spontaneously in contact with the air at room temperature
Decomposition temperature	not available	
pH	2,80 ± 0,50	Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67
Kinematic viscosity	5,0 mm ² /s	Method:Calculation
Dynamic viscosity	5,0 cP	Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C)
Solubility	soluble in water in any ratio	Method:own
Partition coefficient: n-octanol/water	not available	Reason for missing data:The product is a blend
Vapour pressure	17,12 mmHg	Method:calculation
Density and/or relative density	1,00 - 1,05 g/cm ³	Method:Own Instrument: METTLER TOLEDO DENSITOPRO
Relative vapour density	not available	
Particle characteristics	not applicable	

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 10/21 Replaced revision:1 (Printed on: 29/11/2022)

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0,14 % - 1,43 g/litre

VOC (volatile carbon) 0,11 % - 1,12 g/litre

Explosive properties not explosive

Oxidising properties not oxidizing

Remark: it does not contain substances classified as explosive

Remark: it does not contain substances classified as oxidizing

SECTION 10. Stability and reactivity

10.1. Reactivity

Reacts with: alkaline substances, oxidizing agents

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Substances to be avoided: alkaline substances, oxidizing agents, amines

10.6. Hazardous decomposition products

Thermal decomposition products: sulfur oxides, acid gases, carbon monoxide (CO), carbon dioxide (CO₂)

SECTION 11. Toxicological information


11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 11/21 Replaced revision:1 (Printed on: 29/11/2022)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	Not classified (no significant component)
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

CITRIC ACID MONOHYDRATE

LD50 (Dermal):	> 2000 mg/kg rat
LD50 (Oral):	5400 mg/kg mouse

METHANESULPHONIC ACID

LD50 (Dermal):	1000 mg/kg coniglio
LD50 (Oral):	649 mg/kg ratto sostanza anidra
LC50 (Inhalation mists/powders):	0,74 mg/l/6h ratto

AMMINE, C12-14 (EVEN NUMBERED)-ALKYLDIMETHYL, N-OXIDES

LD50 (Dermal):	2000 mg/kg rat
LD50 (Oral):	1064 mg/kg rat

QUATERNARY AMMONIUM COMPOUNDS, BENZYL C12-C16 (EVEN NUMBERED)-ALKYLDIMETHYL CHLORIDES

LD50 (Dermal):	3412 mg/kg rabbit
LD50 (Oral):	397,5 mg/kg rat
LC50 (Inhalation vapours):	320 µg/m³

ALPHA HEXYLCINNAMALDEHYDE

LD50 (Dermal):	3000 mg/kg rabbit
LD50 (Oral):	3100 mg/kg rat
LC50 (Inhalation vapours):	2,12 mg/l/4h rat

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION


Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

ALPHA HEXYLCINNAMALDEHYDE

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 12/21 Replaced revision:1 (Printed on: 29/11/2022)

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.


12.1. Toxicity

ALPHA HEXYLCINNAMALDEHYDE


LC50 - for Fish	1,7 mg/l/96h
EC50 - for Crustacea	0,36 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,065 mg/l/72h
Chronic NOEC for Crustacea	0,063 mg/l

AMMINE, C12-14 (EVEN NUMBERED)- ALKYLDIMETHYL, N-OXIDES

LC50 - for Fish	2,67 mg/l/96h pesci
EC50 - for Crustacea	3,1 mg/l/48h daphnia
EC50 - for Algae / Aquatic Plants	0,143 mg/l/72h alga
Chronic NOEC for Algae / Aquatic Plants	0,067 mg/l alga

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 13/21 Replaced revision:1 (Printed on: 29/11/2022)

CITRIC ACID MONOHYDRATE	
LC50 - for Fish	440 mg/l/96h leuciscus idus melanotus
EC50 - for Crustacea	1535 mg/l/48h daphnia magna
QUATERNARY AMMONIUM COMPOUNDS, BENZYL C12-C16 (EVEN NUMBERED)-ALKYLDIMETHYL CHLORIDES	
LC50 - for Fish	0,515 mg/l/96h freshwater fish
EC50 - for Crustacea	0,016 mg/l/48h daphnia
EC50 - for Algae / Aquatic Plants	0,049 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,009 mg/l
METHANESULPHONIC ACID	
LC50 - for Fish	73 mg/l/96h oncorhynchus mykiss (trota iridea)
EC50 - for Crustacea	260 mg/l/48h daphnia magna (pulce d'acqua grande)
EC50 - for Algae / Aquatic Plants	12 mg/l/72h selenastrum capricornutum
Chronic NOEC for Algae / Aquatic Plants	5,8 mg/l selenastrum capricornutum
12.2. Persistence and degradability	
ALPHA HEXYLCINNAMALDEHYDE	
Solubility in water	1,62 mg/l 20°C
Rapidly degradable	
AMMINE, C12-14 (EVEN NUMBERED)- ALKYLDIMETHYL, N-OXIDES	
Solubility in water	409,5 mg/l
Rapidly degradable	
CITRIC ACID MONOHYDRATE	
Solubility in water	800 g/l
Rapidly degradable	
QUATERNARY AMMONIUM COMPOUNDS, BENZYL C12-C16 (EVEN NUMBERED)-ALKYLDIMETHYL CHLORIDES	
Solubility in water	455 g/l
Rapidly degradable	
METHANESULPHONIC ACID	
Rapidly degradable	
12.3. Bioaccumulative potential	
ALPHA HEXYLCINNAMALDEHYDE	
Partition coefficient: n-octanol/water	5,3 Log Kow 24°C

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 14/21 Replaced revision:1 (Printed on: 29/11/2022)

AMMINE, C12-14 (EVEN NUMBERED)-
ALKYLDIMETHYL, N-OXIDES

Partition coefficient: n-octanol/water 2,7

CITRIC ACID MONOHYDRATE

Partition coefficient: n-octanol/water -1,72 Log Kow

QUATERNARY AMMONIUM
COMPOUNDS, BENZYL C12-C16 (EVEN
NUMBERED)-ALKYLDIMETHYL
CHLORIDES

Partition coefficient: n-octanol/water 2,75

BCF 79

METHANESULPHONIC ACID

Partition coefficient: n-octanol/water -2,38 valore calcolato

12.4. Mobility in soil

ALPHA HEXYLCINNAMALDEHYDE

Partition coefficient: soil/water 4,199 20°C

AMMINE, C12-14 (EVEN NUMBERED)-
ALKYLDIMETHYL, N-OXIDES

Partition coefficient: soil/water 3,18

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations


13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 15/21 Replaced revision:1 (Printed on: 29/11/2022)

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product


Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 16/21 Replaced revision:1 (Printed on: 29/11/2022)

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.


15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 17/21 Replaced revision:1 (Printed on: 29/11/2022)


Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

Use descriptor system:

ERC	8a	Widespread use of non- reactive processing aid (no inclusion into or onto article, indoor)
LCS	C	Consumer use
LCS	PW	Widespread use by professional workers
PC	35	Washing and cleaning products
PROC	11	Non industrial spraying

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 18/21 Replaced revision:1 (Printed on: 29/11/2022)

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.


Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 11 / 12 / 15.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 19/21 Replaced revision:1 (Printed on: 29/11/2022)

SUMI

Safe Use of Mixtures

Information



AISE_SUMI_PW_11_2_G

Version 1.1, August 2018

Professional uses; (Trigger) spraying

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels.



General description of the process covered


This SUMI applies to professional uses of products in a spraying application. This Safe Use Information is based on the AISE_SWED_PW_11_2.

Operational Conditions



Maximum duration	60 minutes per day.
Range of application / Process conditions	Indoor use
	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

Risk Management Measures

Measures related to personal protective equipment (PPE), hygiene and health evaluation	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications.  
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters.
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 20/21 Replaced revision:1 (Printed on: 29/11/2022)

Additional good practice advice


Don't eat or drink. Don't smoke. Don't use in proximity of open flame.	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.

	BELLINZONI S.R.L.	Revision nr. 2
	B-3 ACTION DOCCIA	Dated 07/08/2023 Printed on 07/08/2023 Page n. 21/21 Replaced revision:1 (Printed on: 29/11/2022)

WORKING INSTRUCTIONS SHEET

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	Non industrial spraying [PROC11]
Product name	B-3 ACTION DOCCIA
Risks of the product as it is	H319 Causes serious eye irritation. H315 Causes skin irritation. EUH208 Contains: ALPHA HEXYLCINNAMALDEHYDE. May produce an allergic reaction.
Handling of the product as it is	Ensure an adequate earthing system for plants and people. Avoid contact with eyes and skin. Do not inhale any dusts or vapors or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid the dispersion of the product in the environment.
PPE required for the product as it is	Protect hands with category III work gloves (see standard EN 374). Wear normal work clothes Wear airtight protective goggles (see standard EN 166).
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS
In case of accidental spillage of large quantities of the product as it is	Wear adequate protective equipment (including personal protective equipment referred to in section 8 of the SDS) to prevent contamination of skin, eyes and personal clothing. Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS
Product storage	Keep only in the original container. Store in a ventilated place, away from sources of ignition. Keep containers tightly closed. Keep the product in clearly labeled containers. Avoid overheating. Avoid violent shocks. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS