

according to 1907/2006/EC, Article 31Printing date 24.01.2023Version number 9 (replaces version 8)R

Revision: 24.01.2023

• <u>1.1 Product identifier</u> • <u>Trade name:</u>	PLATINUM Clear Knifegrade P+	
· <u>Article number:</u> · <u>UFI:</u> · 1.2 Relevant identified uses of	10725, 10744, 10727, 11092 AXQ0-A022-300F-FT2C	
the substance or mixture and uses advised against · Application of the substance / the	No further relevant information available.	
mixture	Adhesives	
• <u>1.3 Details of the supplier of the s</u> • <u>Manufacturer/Supplier:</u>	<u>safety data sheet</u> AKEMI chemisch technische Spezialfabrik GmbH Lechstrasse 28 D 90451 Nürnberg	Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de
· Further information obtainable		
from:	Laboratory	
 <u>1.4 Emergency telephone</u> <u>number:</u> 	Product Safety Department AKEMI chemisch technische Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m.	e Spezialfabrik GmbH

 Classification according 	ording to	Regulation (EC) No 1272/2008
Flam. Liq. 3	H226	Flammable liquid and vapour.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Repr. 2	H361d	Suspected of damaging the unborn child.
STOT SE 3	H335	May cause respiratory irritation.
STOT RE 1	H372	Causes damage to the hearing organs through prolonged or repeated exposure.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation	
(EC) No 1272/2008	The product is classified and labelled according to the CLP regulation.
· Hazard pictograms	$\wedge \wedge \wedge$



H315 Causes skin irritation.

exposure.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H412 Harmful to aquatic life with long lasting effects.

H372 Causes damage to the hearing organs through prolonged or repeated

· Signal word

Danger

 Hazard-determining components of labelling: styrene methacrylic acid

· Hazard statements





according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

		(Contd. of page 1)
 Precautionary statements 	P101	If medical advice is needed, have product container or label at
		hand.
	P102	Keep out of reach of children.
	P103	Read carefully and follow all instructions.
	P210	Keep away from heat, hot surfaces, sparks, open flames and
		other ignition sources. No smoking.
	P260	Do not breathe vapours.
	P273	Avoid release to the environment.
	P280	Wear protective gloves / eye protection.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated
		clothing. Rinse skin with water [or shower].
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
	50/0	rinsing.
	P312	Call a POISON CENTER/doctor if you feel unwell.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P405	Store locked up.
	P501	Dispose of contents/container in accordance with local/ regional/national/international regulations.
 Additional information: 	Contains methyl m	ethacrylate, octabenzone. May produce an allergic reaction.
<u>2.3 Other hazards</u>		
 <u>Results of PBT and vPvB assessm</u> 	ent	
· <u>PBT:</u>	Not applicable.	
· <u>vPvB:</u>	Not applicable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:	Mixture: consisting of the following components.	
 Dangerous components: 		
CAS: 100-42-5 EINECS: 202-851-5 Index number: 601-026-00-0 Reg.nr.: 01-2119457861-32	styrene Flam. Liq. 3, H226 Repr. 2, H361d; STOT RE 1, H372; Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Aquatic Chronic 3, H412	25-50%
CAS: 79-41-4 EINECS: 201-204-4 Index number: 607-088-00-5 Reg.nr.: 01-2119463884-26-XXXX	methacrylic acid Skin Corr. 1A, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C \geq 1 %	1-5%
CAS: 80-62-6 EINECS: 201-297-1 Index number: 607-035-00-6 Reg.nr.: 01-2119452498-28	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	<1%
CAS: 38668-48-3 EINECS: 254-075-1 Reg.nr.: 01-2119980937-17	1,1'-(p-tolylimino)dipropan-2-ol Acute Tox. 2, H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	<1%
	(Contd	. on page 3)

— EU —



according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

CAS: 1843-05-6 EINECS: 217-421-2 Reg.nr.: 01-2119557833-30-0000	(Conto Octabenzone Skin Sens. 1B, H317	l. of page 2) <1%
CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51	1,4-dihydrxybenzene Muta. 2, H341; Carc. 2, H351 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	<1%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:	Take affected persons out into the fresh air.
	Position and transport stably in side position.
	Symptoms of poisoning may even occur after several hours; therefore medical
	observation for at least 48 hours after the accident.
· <u>After inhalation:</u>	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
	In case of unconsciousness place patient stably in side position for
	transportation.
· After skin contact:	If skin irritation continues, consult a doctor.
	Immediately wash with water and soap and rinse thoroughly.
· After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist,
	consult a doctor.
· After swallowing:	If symptoms persist consult doctor.
4.2 Most important symptoms	
and effects, both acute and	
delayed	Headache
	Dizziness
	Dizziness
	Breathing difficulty
	Profuse sweating
	Nausea
· <u>Hazards</u>	Danger of impaired breathing.
• 4.3 Indication of any immediate	
medical attention and special	
treatment needed	If swallowed, gastric irrigation with added, activated carbon.
	If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

 <u>5.1 Extinguishing media</u> Suitable extinguishing agents: 	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 For safety reasons unsuitable 	
extinguishing agents:	Water with full jet
5.2 Special hazards arising from	
<u>the substance or mixture</u>	Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide (CO) Nitrogen oxides (NOx) Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Hydrogen cyanide (HCN) (Contd. on page 4)



Page 4/16

Safety data sheet

according to 1907/2006/EC, Article 31

inting date 24.01.2023	Version number 9 (replaces version 8)	Revision: 24.01.202
ade name: PLATINUM Clear Knife		
		(Contd. of page 3
5.3 Advice for firefighters		
Protective equipment:	Wear self-contained respiratory protective device.	
	Do not inhale explosion gases or combustion gases. Wear fully protective suit.	
	Mount respiratory protective device.	
· Additional information	Dispose of fire debris and contaminated fire fighti	ng water in accordance wit
	official regulations.	
	Collect contaminated fire fighting water separately. system.	It must not enter the sewag
SECTION 6: Accidental release n	neasures	
6.1 Personal precautions,		
protective equipment and		
emergency procedures	Ensure adequate ventilation	
	Keep away from ignition sources.	of fumoo/duot/opropol
	Use respiratory protective device against the effects Wear protective equipment. Keep unprotected perso	
6.2 Environmental precautions:	Do not allow product to reach sewage system or any	
	Inform respective authorities in case of seepage i	
	system.	
6.3 Methods and material for	Do not allow to enter sewers/ surface or ground wate	er.
containment and cleaning up:	Absorb with liquid-binding material (sand, diaton	nite, acid binders, univers
	binders, sawdust).	
	Dispose contaminated material as waste according t	to item 13.
6.4 Reference to other sections	Ensure adequate ventilation. See Section 7 for information on safe handling.	
0.4 Reference to other sections	See Section 7 for information on personal protection	equipment.
	See Section 13 for disposal information.	- 4
SECTION 7: Handling and storage	ge	
7.1 Precautions for safe		
handling	Keep receptacles tightly sealed.	
	Store in cool, dry place in tightly closed receptacles.	
	Keep away from heat and direct sunlight. Use only in well ventilated areas.	
	Ensure good interior ventilation, especially at floor le	vel. (Fumes are heavier that
	air).	
	Ensure good ventilation/exhaustion at the workplace	
 Information about fire - and explosion protection: 	Keen ignition sources away. Do not smake	
	Keep ignition sources away - Do not smoke. Protect against electrostatic charges.	
7.2 Conditions for safe storage,	including any incompatibilities	
· Storage:		
Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle.	
Information about storage in one	Prevent any seepage into the ground.	

- · Information about storage in one common storage facility:
- Further information about storage conditions:
- Store away from foodstuffs. Je Store receptacle in a well ventilated area.

Store away from oxidising agents.

Protect from frost. Keep container tightly sealed.



Page 5/16

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2023 Version number 9 (replaces version 8) Revision: 24.01.2023 Trade name: PLATINUM Clear Knifegrade P+ (Contd. of page 4) · Storage class: З · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 80-62-6 methyl methacrylate IOELV Short-term value: 100 ppm Long-term value: 50 ppm · DNELs 100-42-5 styrene Oral DNEL (Langzeit-wiederholt) 2.1 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 406 mg/kg bw/day (ARB) 343 mg/kg bw/day (BEV) Inhalative DNEL (Kurzzeit-akut) 289-306 mg/m³ Air (ARB) 174.25-182.75 mg/m³ Air (BEV) DNEL (Langzeit-wiederholt) 85 mg/m³ Air (ARB) 10.2 mg/m³ Air (BEV) 79-41-4 methacrylic acid Dermal DNEL (Langzeit-wiederholt) 4.25 mg/kg bw/day (ARB) 2.55 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 29.6-88 mg/m³ Air (ARB) 6.3-6.55 mg/m³ Air (BEV) 80-62-6 methyl methacrylate Oral DNEL (Kurzzeit-akut) 0.25 mg/kg bw/day (BEV) Dermal DNEL (Kurzzeit-akut) 1.5 mg/kg bw/day (ARB) 1.5 mg/kg bw/day (BEV) DNEL (Langzeit-wiederholt) 1.5-13.67 mg/kg bw/day (ARB) 1.5-8.2 mg/kg bw/day (BEV) Inhalative DNEL (Kurzzeit-akut) 29.6-416 mg/m³ Air (ARB) 6.3-104 mg/m³ Air (BEV) DNEL (Langzeit-wiederholt) 208 mg/m³ Air (ARB) 74.3-104 mg/m³ Air (BEV) 38668-48-3 1,1'-(p-tolylimino)dipropan-2-ol Oral DNEL (Langzeit-wiederholt) 0.25 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 0.7 mg/kg bw/day (ARB) 0.3 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 2.47 mg/m³ Air (ARB) 0.4 mg/m³ Air (BEV) 1843-05-6 octabenzone Oral DNEL (Langzeit-wiederholt) 0.9 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 1.87 mg/kg bw/day (ARB) 0.9 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 6.6 mg/m³ Air (ARB) 1.6 mg/m³ Air (BEV)

(Contd. on page 6)

FU



Page 6/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

123-31-0 1	l 4-diby	/drxybenzene		(Contd. of page 5)
			128 mg/kg bw/day (ARB)	
Dennai	DINLL	(Langzen-wedenion)	64 mg/kg bw/day (BEV)	
Inholotivo		(Longzoit wiederhelt)	1-7 mg/m³ Air (ARB)	
maiative	DINEL	(Langzeit-wiederholt)	o ()	
			0.5-1.74 mg/m³ Air (BEV)	
· <u>PNECs</u>				
100-42-5 s	-			
PNEC (wä		5 mg/l (KA)		
		0.014 mg/l (MW)		
		0.028 mg/l (SW)		
	(0.04 mg/l (WAS)		
PNEC (fes	st) (0.2 mg/kg Trockengew	v (BO)	
	(0.307 mg/kg Trockeng	ew (MWS)	
	(0.614 mg/kg Trockeng	ew (SWS)	
79-41-4 m	ethacry	ylic acid		
PNEC (wä	ssrig)	10 mg/l (KA)		
	(0.82 mg/l (MW)		
	(0.82 mg/l (SW)		
PNEC (fes	st) [/]	1.2 mg/kg Trockengew	v (BO)	
•	·	nethacrylate		
	-	10 mg/l (KA)		
, ,		0.094 mg/l (MW)		
		0.94 mg/l (SW)		
		0.15-0.94 mg/l (WAS)		
PNEC (fes		1.47 mg/kg Trockenge	w (BO)	
	· ·	0.102 mg/kg Trockengew (MWS)		
		10.2 mg/kg Trockenge		
38668-48-		p-tolylimino)dipropa		
		199.5 mg/l (KA)		
		0.0017 mg/l (MW)		
		0.017 mg/l (SW)		
		0.17 mg/l (WAS)		
PNEC (fes		• • •		
FILC (IES	· ·	0.005 mg/kg Trockengew (BO) 0.00782 mg/kg Trockengew (MWS)		
		0.0782 mg/kg Trocken		
1843-05-6				
		1 mg/l (KA)		
FINEC (Wa	- /	• • •		
		0.0052 mg/l (MW)		
		0.052 mg/l (SW)		
		0.52 mg/l (WAS)	··· (PO)	
PNEC (fes		66.8 mg/kg Trockenge		
		10 mg/kg Trockengew		
	100 mg/kg Trockengew (SWS)			
	-	/drxybenzene		
PNEC (wä	issrig) (0.71 mg/l (KA)		
				(Contd. on page 7



Page 7/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

		(Contd. of page 6)
	0.0000114 mg/l (
	0.000114 mg/l (S	SW)
	0.00134 mg/l (W	AS)
PNEC (fest)	0.000129 mg/kg	Trockengew (BO)
	0.000097 mg/kg	Trockengew (MWS)
	0.00098 mg/kg T	rockengew (SWS)
· Additional inform	nation:	The lists valid during the making were used as basis.
· 8.2 Exposure c	ontrols	
	ineering controls	No further data; see item 7.
		ich as personal protective equipment
 General protect 	ive and hygienic	
measures:		Do not eat, drink, smoke or sniff while working.
		Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product.
		Keep away from foodstuffs, beverages and feed.
		Immediately remove all soiled and contaminated clothing
		Wash hands before breaks and at the end of work.
		Do not inhale gases / fumes / aerosols.
Deeningtemente		Avoid contact with the eyes and skin.
 Respiratory prot 	ection:	Short term filter device: Filter A/P2
		In case of brief exposure or low pollution use respiratory filter device. In case of
		intensive or longer exposure use self-contained respiratory protective device.
 Hand protection 		After use of gloves apply skin-cleaning agents and skin cosmetics.
		Preventive skin protection by use of skin-protecting agents is recommended.
		Protective gloves
		The glove material has to be impermeable and resistant to the product/
		the substance/ the preparation.
		Due to missing tests no recommendation to the glove material can be
		given for the product/ the preparation/ the chemical mixture.
		Selection of the glove material on consideration of the penetration
		times, rates of diffusion and the degradation
		Skin protection agent recommendation for preventive skin shelter without use of protective gloves:
		ARRETIL (http://www.stoko.com)
		Skin protection agent recommendation for preventive skin shelter in
		application and combination of protective gloves:
		STOKO EMULSION (http://www.stoko.com)
		Skin protection recommendation for skin cleaning after product handling:
		Kresto Classic (http://debstoko.com)
		Skin protection agent recommendation for skin aftercare:
		STOKO VITAN (http://www.stoko.com)
		The protection gloves to be used have to comply with the
		specifications of the directive 89/686/EC and the directive derived
		decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times´ data were generated and verified
		with material samples of the recommended protection glove type in the
		scope of laboratory anylyses of the company KCL GmbH in
		compliance with EN374.
		This recommendation refers exclusively to the material safety data
		sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with
		(Contd. on page 8)
		EU



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023	Version number 9 (replaces version 8)	Revision: 24.01.2023		
Trade name: PLATINUM Clear Knife	egrade P+			
	different substances or chemicals, and in the producer of CE-approved protection of detailed information (e.g., KCL GmbH, of internet: http://www.kcl.de).	gloves must be contacted for		
· <u>Material of gloves</u>	Fluorocarbon rubber (Viton) The selection of the suitable gloves does not only also on further marks of quality and varies from ma As the product is a preparation of several substance material can not be calculated in advance and has to the application.	anufacturer to manufacturer. es, the resistance of the glove		
· Penetration time of glove material	Value for the permeation: Level \leq 6, 480 min The exact break trough time has to be found out protective gloves and has to be observed.	t by the manufacturer of the		
 For the permanent contact gloves 				
made of the following materials are				
suitable:	Fluorocarbon rubber (Viton) Vitoject (KCL, Art No. 890)			
· As protection from splashes gloves				
made of the following materials are				
suitable:	Fluorocarbon rubber (Viton)			
	Vitoject (KCL, Art_No. 890)			
	Butyl rubber, BR			
	Butoject (KCL, Art_No. 897, 898)			
	Nitrile rubber, NBR			
	Dermatril (KCL, Art_No. 740, 741, 742)			
	Camatril (KCL, 730, 731, 732, 733)			
Not suitable are gloves made of				
the following materials:	Natural rubber, NR			
	Chloroprene rubber, CR			
	Leather gloves Strong material gloves			
· Eye/face protection	Strong material gloves			
	Tightly sealed goggles			
· Body protection:	Protective work clothing			
SECTION 9: Physical and chemical properties				

9.1 Information on basic physical and chemical properties		
· General Information		
· <u>Colour:</u>	Opaque	
· Odour:	Specific type	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
 Boiling point or initial boiling point and boiling range 145 °C 		
· <u>Flammability</u>	Not applicable.	
 Lower and upper explosion limit 		
· Lower:	1.2 Vol %	
· Upper:	8.9 Vol %	
· Flash point:	31 °C	
· Ignition temperature:	480 °C	
 Decomposition temperature: 	Not determined.	
· pH	Not determined.	
	Not applicable	
		(Contd. on page 0)

(Contd. on page 9)

EU



according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

		(Contd. of page 8)
· Viscosity:		
 Kinematic viscosity at 20 °C 		50,000 s (DIN 53211/4)
· Dynamic:		Not determined.
		Not applicable
· <u>Solubility</u>		
· <u>water:</u>		Not miscible or difficult to mix.
 Partition coefficient n-octanol/w 	vater (log value)	Not determined.
 Vapour pressure at 20 °C: 		6 hPa
Density and/or relative density		
· <u>Density at 20 °C:</u>		1.1 g/cm ³
· Relative density		Not determined.
· <u>Vapour density</u>		Not determined.
9.2 Other information		
· <u>Appearance:</u>		
· Form:		Pasty
· Important information on prot	ection of health a	nd
environment, and on safety.		
 Auto-ignition temperature: 		Product is not selfigniting.
 Explosive properties: 		Product is not explosive. However, formation of explosive air/
		vapour mixtures are possible.
 Solvent content: 		
 Organic solvents: 		31.3 %
· Solids content:		67.5 %
 Change in condition 		
 Evaporation rate 		Not determined.
 Information with regard to physical 	ical hazard classe	S
· Explosives	Void	_
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Flammable li	quid and vapour.
· Flammable solids	Void	
· Self-reactive substances and n	nixtures	
	Void	
 Pyrophoric liquids 	Void	
 Pyrophoric solids 	Void	
 Self-heating substances and m 		
	Void	
Substances and mixtures, wh	hich emit flammab	ble
gases in contact with water		
	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals Desensitized explosives	Void	
· Desensitised explosives	Void	
SECTION 10: Stability and re	activity	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition /
- conditions to be avoided:

No decomposition if used and stored according to specifications.



according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

· 10.3 Possibility of hazardous		(Contd. of page 9)
reactions	Exothermic polymerisation. Reacts with peroxides and other radical forming substances. Reacts with acids.	
· 10.4 Conditions to avoid	Reacts with strong alkali. No further relevant information available.	
10.5 Incompatible materials:	No further relevant information available.	
10.6 Hazardous decomposition		
products:	Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Hydrogen cyanide (prussic acid)	

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

o not mot

· Acute toxic	city	Based on available data, the classification criteria are not met.
· LD/LC50 v	alues rele	vant for classification:
ATE (Acut	te Toxicity	y Estimates)
Oral	LD50	>3,071-<18,951 mg/kg (rat)
Dermal	LD50	27,485-54,969 mg/kg
Inhalative	LC50/4 h	36.6 mg/l
100-42-5 s	styrene	
Oral	LD50	>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD-Prüfrichtlinie 402)
Inhalative	LC50/4h	9.5 mg/m3 (mouse)
		11,800 mg/m3 (rat)
	LC50/4 h	11.8 mg/l (rat)
	NOAEC	4.34 mg/l (rat)
79-41-4 m	ethacrylic	acid
Oral	LD50	1,320 mg/kg (rat)
Dermal	LD50	500-1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)
	LC50/1h	7.1 mg/l (rat)
80-62-6 m	ethyl met	hacrylate
Oral	LD50	7,872 mg/kg (rat) (OECD 401)
	NOAEL	2,000 mg/kg (rat)
	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4h	4,632 mg/m3 (rat)
	LC50/4 h	29.8 mg/l (rat)
	NOAEL	25 mg/m³ (rat)
38668-48-	3 1,1'-(p-t	olylimino)dipropan-2-ol
Oral	LD50	>25-<200 mg/kg (rat) (OECD 423)
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)
1843-05-6		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
		(Contd. on page 11



Page 11/16

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

			(Contd. of page 10)	
123-31-9	1,4-dihydr	rxybenzene		
Oral	LD50	375 mg/kg (r	375 mg/kg (rat) (OECD 401)	
	NOEL	50 mg/kg (m	ouse)	
		75 mg/kg (ra	bbit)	
		100 mg/kg (r	at)	
	NOAEL	15 mg/kg (rat	t)	
Dermal	LD50	2,000 mg/kg		
· Skin corrosion/irritation Causes skin irritation.				
	ye damage		Causes serious eye irritation.	
	 Respiratory or skin sensitisation 		Based on available data, the classification criteria are not met.	
	· Germ cell mutagenicity		Based on available data, the classification criteria are not met.	
	· Carcinogenicity		Based on available data, the classification criteria are not met.	
	· Reproductive toxicity		Suspected of damaging the unborn child.	
	· STOT-single exposure		May cause respiratory irritation.	
	· STOT-repeated exposure		Causes damage to the hearing organs through prolonged or repeated exposure.	
	 Aspiration hazard 		Based on available data, the classification criteria are not met.	
11.2 Information on other hazards				
· Endocrine disrupting properties				
None of the ingredients is listed.				

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
100-42-5 styrene		
EC50/96h	6.3 mg/l (Pseudokirchneriella subcapitata)	
EC50	500 mg/l (BES) (ISO Vorschrift 8192-1986 E)	
	5.5 mg/l (Photobac. phosphoreum)	
IC50/72h	4.9 mg/l (green alge)	
	1.4 mg/l (selenastrum capricornutum)	
IC5/8d	>200 mg/l (Scenedesmus quadricauda)	
EC10/16h	72 mg/l (pseudomonas putida)	
EC50/16h	>72 mg/l (pseudomonas putida)	
EC50/8d	>200 mg/l (Scenedesmus quadricauda)	
EC50/72u	>1-<10 mg/l (green alge)	
EC20/0.5h	140 mg/l (BES) (OECD 209)	
NOEC/21d	1.01 mg/l (daphnia magna)	
EC10	0.28 mg/l (Pseudokirchneriella subcapitata) (EPA OTS 797.1050)	
EC50/48h	0.56 mg/l (green alge)	
	3.3-7.4 mg/l (daphnia magna)	
EC50/72h	0.46-4.3 mg/l (Pseudokirchneriella subcapitata)	
LC50/96h	>1-<10 mg/l (piscis)	
	19.03-33.53 mg/l (lem)	
	3.24-4.99 mg/l (pimephales promelas)	
	6.75-14.5 mg/l (Pimephales promelas)	
	58.75-95.32 mg/l (poecilia reticulata)	
LC50/72h	4.9 mg/l (green alge)	
	(Contd. on page 12)	



Page 12/16

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

	(Contd. of page 1
	hacrylic acid
IC50/72h	0.59 mg/l (Selenastrum capricornutum)
EC10/16h	100 mg/l (Microcystis aeruginosa)
NOELR/21d	53 mg/l (daphnia magna)
EC50/48h	>130 mg/l (daphnia magna)
EC50/72h	45 mg/l (green alge)
LC50/96h	85 mg/l (Oncorhynchus mykiss)
80-62-6 met	hyl methacrylate
EC50/96h	170 mg/l (Pseudokirchneriella subcapitata)
EC50/48h	69 mg/l (daphnia magna) (OECD 202)
EC0	100 mg/l (pseudomonas putida)
NOEC	9.4 mg/kg (Danio rerio.) (OECD 210)
NOEC	>100 mg/l (Selenastrum capricornutum)
NOEC/21d	37 mg/l (daphnia magna) (OECD 202)
EC50/72h	>110 mg/l (Selenastrum capricornutum)
LC50/96h	153.9-341.8 mg/l (lem)
	>79 mg/l (Oncorhynchus mykiss) (OECD 203)
	125-275 mg/l (pimephales promelas)
	326.4-426.9 mg/l (poecilia reticulata)
38668-48-3	1,1'-(p-tolylimino)dipropan-2-ol
EC50/48h	28.8 mg/l (daphnia magna) (OECD 202)
EC20/0.5h	>1,995 mg/l (BES) (OECD 209)
EC50/72h	245 mg/l (Desmodesmus subspicatus) (OECD 201)
LC50/96h	17 mg/l (Brachydanio rerio)
1843-05-6 o	
EC50/24h	52 mg/l (daphnia magna)
IC50/2411	
1050	>100 mg/l (BES)
	52 mg/l (daphnia magna)
LC50	>100 mg/l (Brachydanio rerio)
EC50/48h	>0.0038 mg/l (daphnia magna)
EC20/3h	>100 mg/l (BES)
EC50/72h	>100 mg/l (Scenedesmus subspicatus)
LC50/96h	>100 mg/l (Brachydanio rerio) (OECD 203)
	-dihydrxybenzene
EC50/24h	0.12 mg/l (daphnia magna)
EC50	13.5 mg/l (Desmodesmus subspicatus)
EC50/48h	0.061 mg/l (daphnia magna) (OECD 202)
ErC50/72h	0.335 mg/l (Pseudokirchneriella subcapitata) (IUCLID)
	0.019 mg/l (Pseudokirchneriella subcapitata)
NOEC/21d	0.0057 mg/l (daphnia magna) (OECD 211)
EC10	0.034 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC50/48h	0.29 mg/l (daphnia magna)
EC50/72h	0.335 mg/l (Scenedesmus subspicatus) (OECD 201)
LC50/96h	0.17 mg/l (Brachydanio rerio)
	0.638 mg/l (Oncorhynchus mykiss) (OECD 203)
	(Contd. on page 13
	EL



Page 13/16

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

0.044-0.18 mg/l (pim	ephales promelas) (IUCLID) (Contd. of page
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvB as	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	The product does not contain substances with endocrine disrupting properties.
Additional ecological information:	
General notes:	Do not allow product to reach ground water, water course or sewage system.
	Water hazard class 2 (German Regulation) (Self-assessment): hazardous water
SECTION 13: Disposal consider	ations
13.1 Waste treatment methods	
Recommendation	Must be specially treated adhering to official regulations.
	Must not be disposed together with household garbage. Do not allow produc
	reach sewage system.
European waste catalogue	· ·
	(HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AN
INSTITUTIONAL WAS	TES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00 separately collected frac	ctions (except 15 01)
20 01 27* paint, inks, adhesives a	nd resins containing hazardous substances
I Incloaned neckoging	
Uncleaned packaging:	Empty contaminated neckagings thereughly. They may be recycled at
Recommendation:	Empty contaminated packagings thoroughly. They may be recycled at
Decommended electronic equates	thorough and proper cleaning.
Recommended cleansing agents:	Alcohol
SECTION 14: Transport information	tion
14.1 UN number or ID number	
ADR, IMDG, IATA	UN3269
	UN3269
ADR, IMDG, IATA	UN3269 3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name	
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es)	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es)	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es)	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es)	3269 POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es) ADR W	3269 POLYESTER RESIN KIT POLYESTER RESIN KIT
ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG, IATA 14.3 Transport hazard class(es)	3269 POLYESTER RESIN KIT



Page 14/16

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+ (Contd. of page 13) 3 · Label IMDG, IATA 3 Flammable liquids. Class · Label 3 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): · EMS Number: F-E,S-D Stowage Category А · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 · Tunnel restriction code E · Remarks: Without hardener component: no dangerous goods < 450 l · IMDG · Limited quantities (LQ) 5L Code: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Without hardener component: no dangerous goods < 30 I · Remarks: \cdot IATA · Remarks: Without hardener component: 3/III UN 1866 Resin Solution · UN "Model Regulation": UN 3269 POLYESTER RESIN KIT, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU	
· Named dangerous substances -	
ANNEX I	None of the ingredients is listed.
· Seveso category	P5c FLAMMABLE LIQUIDS
· Qualifying quantity (tonnes) for the	
application of lower-tier	
requirements	5,000 t

FU



Page 15/16

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

FU

Trade name: PLATINUM Clear Knifegrade P+

	(Contd. of page 14)	
· Qualifying quantity (tonnes) for the		
application of upper-tier		
requirements	50,000 t	
· REGULATION (EC) No 1907/2006		
ANNEX XVII	Conditions of restriction: 3	
	triction of the use of certain hazardous substances in electrical and electronic	
<u>equipment – Annex II</u>		
None of the ingredients is listed.		
· REGULATION (EU) 2019/1148		
	VES PRECURSORS (Upper limit value for the purpose of licensing under Article	
<u>5(3))</u>		
None of the ingredients is listed.		
· Annex II - REPORTABLE EXPLOS	IVES PRECURSORS	
None of the ingredients is listed.		
· Regulation (EC) No 273/2004 on dr	rug precursors	
None of the ingredients is listed.		
	g down rules for the monitoring of trade between the Community and third	
countries in drug precursors		
None of the ingredients is listed.		
· National regulations:		
· Information about limitation of use:	Employment restrictions concerning pregnant and lactating women must be	
	observed.	
	Employment restrictions concerning juveniles must be observed.	
· Waterhazard class:	Water hazard class 2 (Self-assessment): hazardous for water.	
Substances of very high concern (SVHC) according to REACH, Article 57		
None of the ingredients is listed.		
· <u>VOC EU</u>	344.6 g/l	
<u>15.2 Chemical safety</u>		
assessment:	A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Department issuing SDS: 	Laboratory
· Date of previous version:	24.01.2023
Version number of previous	
version:	8
• <u>Abbreviations and acronyms:</u>	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic
	(Contd. on page 16)



according to 1907/2006/EC, Article 31

Printing date 24.01.2023

Version number 9 (replaces version 8)

Revision: 24.01.2023

Trade name: PLATINUM Clear Knifegrade P+

(Contd. of page 15) SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Muta. 2: Germ cell mutagenicity - Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 EU