

Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n. 1/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

# Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: **P012B27CG - P012B27CG10L - P012B27CG50L** 

Product name B-27 EXXTRA

UFI: YFK0-S0JG-K00J-V6MJ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Acid descaling detergent for surfaces in granite, terracotta, non-shiny natural stone, pocellanate stoneware,

Identified Uses	Industrial	Professional	Consumer	
Detergent, descaler	-	ERC: 8a, 8d. PROC: 10, 8a.	ERC: 8a, 8d. PC: 35.	
		PC: 35.	LCS: C.	
		LCS: PW.		

#### 1.3. Details of the supplier of the safety data sheet

Name
BELLINZONI S.R.L.
Full address
District and Country
District and Country
BELLINZONI S.R.L.
Via Mezzano 64
28069 Trecate (NO)
Italia
Tel. +39 0321 770558

e-mail address of the competent person

responsible for the Safety Data Sheet

Supplier:

laboratorio@bellinzoni.com

BELLINZONI S.r.I.

#### 1.4. Emergency telephone number

For urgent inquiries refer to

- CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA Roma - Piazza Sant`Onofrio, 4 CAP: 00165 – Telefono: 06 68593726 – Responsabile: Marco Marano
- Az. Osp. Univ. Foggia Foggia V.le Luigi Pinto, 1 CAP: 71122 Telefono: 800183459 Responsabile: Anna Lepore
- Az. Osp. "A. Cardarelli" Napoli Via A. Cardarelli, 9 CAP: 80131081-Telefono: 5453333 – Responsabile: Romolo Villani
- CAV Policlinico "Umberto I" Roma V.le del Policlinico, 155 CAP: 161 Telefono: 06-49978000 – Responsabile: M. Caterina Grassi
- CAV Policlinico "A. Gemelli" Roma Largo Agostino Gemelli, 8 CAP: 168 -Telefono: 06-3054343 - Responsabile: Alessandro Barelli
- Az. Osp. "Careggi" U.O. Tossicologia Medica Firenze Largo Brambilla, 3 CAP: 50134 – Telefono: 055-7947819 – Responsabile: Francesco Gambassi
- CAV Centro Nazionale di Informazione Tossicologica Pavia Via Salvatore Maugeri, 10 – CAP: 27100 - Telefono: 0382-24444 – Responsabile: Carlo Locatelli
- Osp. Niguarda Ca' Granda Milano Piazza Ospedale Maggiore,3 CAP: 20162 – Telefono: 02-66101029 – Responsabile: Franca Davanzo
- Azienda Ospedaliera Papa Giovanni XXII Bergamo Piazza OMS, 1 CAP: 24127 – Telefono: 800883300 – Responsabile: Bacis Giuseppe
- Azienda Ospedaliera Integrata Verona Verona Piazzale Aristide Stefani, 1 CAP: 37126 Telefono 800011858 Responsabile: Giorgio Ricci



Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n. 2/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

#### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Substance or mixture corrosive to metals, category 1 H290 May be corrosive to metals.

Skin corrosion, category 1B H314 Causes severe skin burns and eye damage.

Serious eye damage, category 1 H318 Causes serious eye damage.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

**H290** May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**EUH071** Corrosive to the respiratory tract. **EUH210** Safety data sheet available on request.

Precautionary statements:

P102 Keep out of reach of children.

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Contains: METHANESULPHONIC ACID, L-(+)-LACTIC ACID

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% non-ionic surfactants

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.



Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n. 3/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

# **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

L-(+)-LACTIC ACID

CAS 79-33-4 16 ≤ x < 19 Skin Corr. 1C H314, Eye Dam. 1 H318, EUH071

EC 201-196-2

INDEX -

REACH Reg. 01-2119474164-39

METHANESULPHONIC ACID

CAS 75-75-2 4 ≤ x < 5 Met. Corr. 1 H290, Acute Tox. 4 H302, Acute Tox. 4 H312, Skin Corr. 1B

H314, Eye Dam. 1 H318, STOT SE 3 H335

EC 200-898-6 LD50 Oral: 649 mg/kg ratto, LD50 Dermal: 1000 mg/kg coniglio

INDEX 607-145-00-4

REACH Reg. 01-2119491166-34

ALCOHOLS, C13-15, BRANCHED

AND LINEAR, ETHOXYLATES

CAS 157627-86-6 4 ≤ x < 5 Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412

EC Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1%

INDEX - LD50 Oral: >300 mg/kg

REACH Reg. 01-2119527829-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.



Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n 4/21

Replaced revision:1 (Printed on: 15/03/2022)

#### B-27 EXXTRA

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

#### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

#### **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

# 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.



Revision nr. 1

Dated 15/03/2022 Printed on 15/03/2022

Page n. 5/21

Replaced revision:1 (Printed on: 15/03/2022)

# **B-27 EXXTRA**

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

DEU

Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Arbeitsstoffe, Mitteilung 56

Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – SVN Slovenija

ZVZD-1, 38/15, 78/18 in 78/19)

L-(+)-LACTIC ACID			
Predicted no-effect concentration - PNEC			
Normal value in fresh water	1,3	mg/l	
Normal value of STP microorganisms	10	mg/l	

# **METHANESULPHONIC ACID**

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	0,7		0,7			11
MV	SVN	0,7		0,7			
Predicted no-effect cor	ncentration - PNEC						
Normal value in fresh	water			0,012		mg/l	
Normal value in marine	e water			0,0012		mg/l	
Normal value for fresh	water sediment			0,0251		mg/kg/d	
Normal value for marin	ne water sediment			0,0251		mg/kg/d	
Normal value for water	r, intermittent release			0,12		mg/l	
Normal value of STP n	nicroorganisms			100		mg/l	
Normal value for the te	errestrial compartment			0,00183		mg/kg/d	



Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n. 6/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				8,33 mg/kg bw/d				-
Inhalation			0,42 mg/m3	1,44 mg/m3			0,7 mg/m3	6,76 mg/m3
Skin						8.33 mg/kg bw/d		19,44 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



**B-27 EXXTRA** 

Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 7/21

Replaced revision:1 (Printed on: 15/03/2022)

# **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance Colour	liquid colourless	Method:visual
Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit	odourless -5 ± 2 °C 82 ± 2 °C not flammable Not available	Method:own Method:own Method:own Remark:it does not contain substances classified as flammable Reason for missing data:it does not contain substances classified as explosive
Upper explosive limit	Not applicable	Reason for missing data:it does not contain substances classified as explosive
Flash point	> 60 °C	Remark:it does not contain substances classified as flammable
Auto-ignition temperature	Not available	Substance:L-(+)-LACTIC ACID Reason for missing data:No explosive components or components that ignite spontaneously in contact with the air at room temperature
Decomposition temperature pH	>200 °C 0,50 ± 0,50	Substance:L-(+)-LACTIC ACID Method:own instrument: METTLER TOLEDO SEVEN GO electrode: METTLER TOLEDO InLab 413 SG / 2m IP67
Kinematic viscosity Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	4,7 mm2/s 5.0 cP soluble in water in any ratio Not available 12,29 mmHg 1,02 - 1,12 g/cm3 Not available Not applicable	Method:Calculation Method:BROOKFIELD DV1 LV (spindle=1 / speed=100 / T=20°C) Method:own Reason for missing data:The product is a blend Method:calculation Method:Instrument: METTLER TOLEDO DENSITOPRO

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 0
VOC (volatile carbon) 0

Explosive properties not explosive Remark:it does not contain substances classified as explosive Oxidising properties not oxidizing Remark:it does not contain substances classified as oxidizing



Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 8/21

Replaced revision:1 (Printed on: 15/03/2022)

# **B-27 EXXTRA**

# **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

Corrosive effect for metals.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

Development of hydrogen by action of aqueous solution with metals

#### 10.4. Conditions to avoid

Do not expose to temperatures exceeding 200 ° C / 392 ° F.

#### 10.5. Incompatible materials

Ethyl and vinyl oxide, hydrogen fluoride, bases, oxidizing agents, metals

#### 10.6. Hazardous decomposition products

Thermal decomposition products: sulfur oxides, acid gases

# **SECTION 11. Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available



**B-27 EXXTRA** 

Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 9/21

Replaced revision:1 (Printed on: 15/03/2022)

Corrosive to the respiratory tract.

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

L-(+)-LACTIC ACID

**ACUTE TOXICITY** 

 LD50 (Dermal):
 > 2000 mg/kg rabbit

 LD50 (Oral):
 3543 mg/kg bw rat - female

 LC50 (Inhalation vapours):
 > 7,94 mg/l/4h rat

METHANESULPHONIC ACID

LD50 (Dermal): 1000 mg/kg coniglio

LD50 (Oral): 649 mg/kg ratto sostanza anidra

LC50 (Inhalation mists/powders): 0,74 mg/l/6h ratto

ALCOHOLS, C13-15, BRANCHED AND LINEAR, ETHOXYLATES

LD50 (Oral): > 300 mg/kg

#### SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental pH value

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

## RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class



Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 10/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.



Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 11/21

Replaced revision:1 (Printed on: 15/03/2022)

# **B-27 EXXTRA**

> 1 mg/l/96h brachydanio rerio

# **SECTION 12. Ecological information**

#### 12.1. Toxicity

ALCOHOLS, C13-15, BRANCHED AND

LINEAR, ETHOXYLATES

LC50 - for Fish

EC50 - for Crustacea > 1 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h scenedesmus subspicatus

Chronic NOEC for Crustacea > 0,1 mg/l daphnia magna

L-(+)-LACTIC ACID

LC50 - for Fish 130 mg/l/96h oncorhynchus mykiss

EC50 - for Crustacea 130 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants 2800 mg/l/72h selenastrum capricornutum

METHANESULPHONIC ACID

LC50 - for Fish 73 mg/l/96h oncorhynchus mykiss ( trota iridea )

EC50 - for Crustacea 260 mg/l/48h daphnia magna ( pulce d'acqua grande )

EC50 - for Algae / Aquatic Plants 12 mg/l/72h selenastrum capricornutum

Chronic NOEC for Algae / Aquatic Plants 5,8 mg/l selenastrum capricornutum

12.2. Persistence and degradability

ALCOHOLS, C13-15, BRANCHED AND

LINEAR, ETHOXYLATES
Rapidly degradable

L-(+)-LACTIC ACID

Solubility in water 860 g/l

Rapidly degradable

METHANESULPHONIC ACID

Rapidly degradable

12.3. Bioaccumulative potential

L-(+)-LACTIC ACID

Partition coefficient: n-octanol/water -0,62

METHANESULPHONIC ACID

Partition coefficient: n-octanol/water -2,38 valore calcolato

12.4. Mobility in soil

Information not available



Revision nr. 1

Dated 15/03/2022

Printed on 15/03/2022

Page n. 12/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

#### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

#### 14.1. UN number or ID number

ADR / RID, IMDG, 3265

IATA:

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (L-(+)-LACTIC ACID; METHANESULPHONIC ACID)

IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (L-(+)-LACTIC ACID; METHANESULPHONIC ACID)

IATA: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (L-(+)-LACTIC ACID; METHANESULPHONIC ACID)

#### 14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



# 14.4. Packing group

ADR / RID, IMDG, II

IATA:



Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 13/21

Replaced revision:1 (Printed on: 15/03/2022)

**B-27 EXXTRA** 

#### 14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

#### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80

Limited Tunnel Quantities: 1 restriction

l

code: (E)

EMS: F-A, S-B

Limited
Quantities: 1

ı

IATA: Cargo:

Maximum quantity: 30 L

Packaging instructions: 855

Pass.:

Special provision: -

Maximum

A3, A803

Packaging

quantity: 1 L instructions:

851

Special provision:

#### 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

IMDG:

### **SECTION 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.



Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 14/21

Replaced revision:1 (Printed on: 15/03/2022)

**B-27 EXXTRA** 

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H290 May be corrosive to metals.H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.



Revision nr. 1

Dated 15/03/2022 Printed on 15/03/2022

Page n 15/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract. **EUH210** Safety data sheet available on request.

#### Use descriptor system:

ERC Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) **ERC** 8d Widespread use of non- reactive processing aid (no inclusion into or onto article, outdoor)

LCS С Consumer use

LCS PW Widespread use by professional workers PC 35 Washing and cleaning products PROC 10 Roller application or brushing


PROC 8a Transfer of substance or mixture (charging and discharging) at non- dedicated facilities

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)



Revision nr. 1

Dated 15/03/2022 Printed on 15/03/2022

Page n. 16/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.



**B-27 EXXTRA** 

# Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 17/21

Replaced revision:1 (Printed on: 15/03/2022)

# SUMI Safe Use of Mixtures Information





# AISE\_SUMI\_PW\_8a\_1\_G

Version 1.1, August 2018

### Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels

#### General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. Safe Use Information is based on the AISE\_SWED\_PW\_8a\_1\_L and AISE\_SWED\_PW\_8a\_1\_S.

### **Operational Conditions**

Maximum duration	60 minutes per day.
Range of application /	Indoor use
Process conditions  Process carried out at room temperature.	
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

#### **Risk Management Measures**

Measures related to personal protective equipment (PPE), hygiene and health evaluation.	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters
	If appropriate AISE SPERC 8a.1.a.v2 may apply: wide dispersive use resulting in release to municipal sewage treatment plant.



# Dated 15/03/2022

Revision nr. 1

Printed on 15/03/2022

Page n. 18/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



**B-27 EXXTRA** 

Revision nr. 1

Dated 15/03/2022
Printed on 15/03/2022

Page n. 19/21

Replaced revision:1 (Printed on: 15/03/2022)

# SUMI Safe Use of Mixtures Information





# AISE\_SUMI\_PW\_10\_2\_G

Version 1.1, August 2018

### Transfer of product to a container (bottle/bucket/machine)

This document is intended to communicate the conditions of safe use for the product and should always be read in combination with the product's Safety Data Sheet and labels

### General description of the process covered

This SUMI applies to professional uses where the product is transferred to or diluted in a container, such as a dispenser, bottle or bucket. Safe Use Information is based on the AISE\_SWED\_PW\_10\_2

### **Operational Conditions**

Maximum duration	480 minutes per day.
Range of application /	Indoor use
Process conditions	Process carried out at room temperature.
	In case of dilution, tap water at a maximum temperature of 45°C is used.
Air exchange rate	Provide a basic standard of general ventilation (1 to 3 air changes per hour). No LEV required.

#### **Risk Management Measures**

Measures related to personal protective equipment (PPE), hygiene and health evaluation.	Wear suitable gloves and eye protection. See section 8 of the SDS of this product for specifications
	Training of workers in relation to proper use and maintenance of PPEs must be ensured.
Environmental measures	Prevent that undiluted product reaches surface waters
	If appropriate <b>AISE SPERC 8a.1.a.v2</b> may apply: wide dispersive use resulting in release to municipal sewage treatment plant.



Revision nr. 1

Dated 15/03/2022 Printed on 15/03/2022

Page n. 20/21

Replaced revision:1 (Printed on: 15/03/2022)

#### **B-27 EXXTRA**

#### Additional good practice advice

Don't eat or drink. Don't smoke. Don't use in proximity of open flame	
Wash hands after use. Avoid contact with damaged skin. Do not mix with other products.	
Spillage instructions	Dilute with fresh water and mop up.
Hygiene practices	Follow the product instructions as specified on the label or in the product information sheet and use good occupational hygiene practices as specified in Section 7 of the product SDS.

#### Additional information depending on product composition

The label and (when required) the Safety Data Sheet contain additional, product specific information crucial for working safely with mixtures. Please refer to the product label and SDS for information including, but not limited to: product hazard classification, potentially allergenic fragrances, notable ingredients and threshold limit values (when available).

#### Disclaimer

This is a document for communicating generic conditions of safe use of a product. It is the responsibility of the formulator to link this SUMI to the SDS of a specific product that he is selling. If a SUMI (or associated SWED) code is mentioned in the SDS of a product, the formulator of that product declares that all substances in the mixture are present in such concentration, that the use of the product within the conditions of the SUMI is safe. When available, this safe use is ensured by evaluating the results of the chemical safety assessments as performed by the raw material suppliers. When no chemical safety assessment has been carried out by the supplier for an ingredient that contributes to the classification of the mixture, the formulator has performed a safety assessment himself. Following Occupational Health legislation, the employer of workers that use products that are assessed as safe following SUMI conditions remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. This document is provided by A.I.S.E. for general information purposes only. The formulator uses the content of this document at its sole risk. A.I.S.E. disclaims any liability to any person or entity for any loss, damage no matter of what kind (actual, consequential, punitive or otherwise), injury, claim, liability or other cause of any kind or character based upon or resulting from the use (even partly) of the content of this document.



Dated 15/03/2022

Revision nr. 1

Printed on 15/03/2022

Page n. 21/21

Replaced revision:1 (Printed on: 15/03/2022)

# **B-27 EXXTRA**

# **WORKING INSTRUCTIONS SHEET**

The purpose of this sheet is to provide the personnel carrying out the cleaning operations with instructions for an appropriate and safe use of the products and for the correct management of emergency situations.

Operation planned	Transfer of substance or mixture (charging and discharging) at non- dedicated facilities [PROC8a]; Roller application or brushing [PROC10];
Product name	B-27 EXXTRA
Rischi del prodotto tal quale	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. EUH071 Corrosive to the respiratory tract.
Risks of the product at the concentrations of use (3% - 15%)	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. EUH071 Corrosive to the respiratory tract.
Handling of the product as it is	Ensure an adequate earthing system for plants and people. Avoid contact with eyes and skin. Do not inhale any dusts or vapors or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid the dispersion of the product in the environment.
Handling of the product at the concentrations of use (3% - 15%)	Ensure an adequate earthing system for plants and people. Avoid contact with eyes and skin. Do not inhale any dusts or vapors or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid the dispersion of the product in the environment.
PPE required For product as it is (transfer, concentrated use)	Protect hands with category III work gloves (see standard EN 374).  Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).  Wear airtight protective goggles (see standard EN 166).
PPE required for the product at the concentrations of use (3% - 15%)	Protect hands with category III work gloves (see standard EN 374).  Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).  Wear airtight protective goggles (see standard EN 166).
In case of emergency (accidents involving exposure to the product)	Inform the client immediately. Immediately notify the employer. Contact the Anti-Poison Center listed in section 1.4 of the SDS
In case of accidental spillage of large quantities In concentrated form	Wear suitable protective equipment (including personal protective equipment referred to in section 8 of the SDS) to prevent contamination of skin, eyes and personal clothing. Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS
In case of accidental spillage of large quantities at the concentrations of use (3% - 15%)	Wear adequate protective equipment (including personal protective equipment referred to in section 8 of the SDS of the product as it is) to prevent contamination of the skin, eyes and personal clothing. Suck up the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking the sect. 10 of the SDS of the product as it is. Absorb the remainder with inert absorbent material. Provide sufficient ventilation of the place affected by the leak. The disposal of contaminated material must be carried out in accordance with the provisions of section 13 of the SDS of the product as it is
Product storage	Keep only in the original container. Store in a ventilated place, away from sources of ignition. Keep containers tightly closed. Keep the product in clearly labeled containers. Avoid overheating. Avoid violent shocks. Keep the containers away from any incompatible materials, checking the sect. 10 of the SDS
In case of accidents, emergencies or fire in the work area	Immediately notify the client, the employer. Follow the instructions for emergencies. Follow the instructions in sect. 5 of the SDS